


ALUMINIUM



VKF Renzel

VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180
Fax: +49 (0) 28 74 / 910-111 • www.vkf-renzel.com • sales@vkf-renzel.com



VKF Renzel at a glance

WE ARE

- Founded 1985 in Germany
- 655 Employees
- 20 Subsidiaries
- 5 Partners and Distributors

WE DO

- Metal & Aluminium Processing
- PVC & Acrylic Processing
- Injection Moulding
- Extrusion
- Digital Printing
- Silk Screen & Pad Printing
- Product Development
- Vacuum Forming
- Custom Solutions

WE CARE

- Kindergarten
- Eco-friendliness/Sustainability
- Code of Conduct
- Health Protection



Main Hub Germany



+49 (0) 28 74 / 910-180



+49 (0) 28 74 / 910-111



sales@vkf-renzel.com



www.vkf-renzel.com



1	Click Frames	11 - 28
2	Poster and Banner Clamp Rails	29 - 34
3	Floorstanding Displays for Indoor Use	35 - 56
4	Pavement Signs / Floorstanding Poster Stands for Outdoor Use	57 - 80
5	Accessories	81 - 88
6	Other Items	89 - 98
7	Bespoke Products	99 - 102

Print Workshop

We can apply a print to your products. Click frames, pavement signs, poster and leaflet stands but also checkout shopping dividers can be printed for that personalised touch!

At our site in Isselburg we use screen, digital and pad printing to finish products giving us the possibility to realise nearly any customer request.



Product Development & Design

We start the search for a solution as soon as we receive your enquiry. Your customer adviser will be in close contact with our product designers. The first phase of the creative process is brainstorming. The ideas are put on paper in the form of product sketches and discussed with you. Then follows the technical planning with the help of CAD technology. To better visualise the products we create virtual models which contain all the details for later production.

In the next step we create prototypes in which the models are mostly made using 3D printing. At this stage the finished look of the product can be recognised. The prototype serves as the final product control. Final changes and amendments can be made with the help of the model. On approval the model, among other things, will be used for in-house tool production to guarantee a smooth production process.



Click Frame Profiles

Click Frame with 15 mm Profile



- Frames available from stock in standard sizes with a silver anodised finish
- Mitred corners
- Bespoke versions for 20+ pieces
- RAL colours for 1+ pieces
- Minimum frame size: A6
- Maximum frame size: 750 x 1000 mm

Click Frame with 25 mm Profile



- Frames available from stock in standard sizes with a silver anodised, black anodised or stainless steel effect finish
- Mitred or rounded corners
- Bespoke versions for 1+ pieces
- RAL colours for 1+ pieces
- Chrome effect, gold effect and wood effect for 20+ pieces
- With safety profile without recessed grip for 20+ pieces
- Minimum frame size: A6
- Maximum frame size: 1000 x 1400 mm

Click Frame with 32 mm Profile



- Frames available from stock in standard sizes with a silver anodised finish
- Mitred or rounded corners
- Bespoke versions for 1+ pieces
- RAL colours for 1+ pieces
- Gold effect for 20+ pieces
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm

Click Frame with 32 mm „Straight“-Profile



- Frames available from stock in standard sizes with a silver anodised finish
- Mitred corners
- Bespoke versions for 20+ pieces

- RAL colours for 1+ pieces
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm

Click Frame with 32 mm Plastic Profile



- Frames in grey similar to RAL 7035
- Mitred corners
- Bespoke versions for 1+ pieces

- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm

Waterproof Click Frame „Eco“



- Frames available from stock in standard sizes with a silver anodised finish
- With tamperproofing available as standard via Allen screw fixing
- Mitred corners

- Bespoke versions for 20+ pieces
- RAL colours for 1+ pieces
- Minimum frame size: A4
- Maximum frame size: 1000 x 1900 mm

Click Frame Profiles

Click Frame with 42 mm Safety Profile



- Lorry click frames available for 1+ pieces
- Mitred corners
- Bespoke versions for 20+ pieces
- RAL colours for 20+ pieces
- Minimum frame size: A2
- Maximum frame size: 1350 x 2500 mm
- A special lever is required to open the profile

Click Frame with 20 mm Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour
- Minimum frame size: A6
- Maximum frame size: 1000 x 1400 mm

Click Frame with 38 mm Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour
- Minimum frame size: A4
- Maximum frame size: 1400 x 2000 mm

Click Frame with 42 mm Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour

- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm

Click Frame with 70 mm Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour

- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm

Click Frame with 25 mm Safety Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour
- Minimum frame size: A6

- Maximum frame size: 1000 x 1400 mm
- A special lever is required to open the profile

Click Frame with 32 mm Safety Profile



- Minimum order quantity: 20 pieces
- Mitred corners
- Silver anodised or powder coated in a RAL colour
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm
- A special lever is required to open the profile

Snap Frames



Aluminum Snap Frames with 15 mm Profile



- Silver anodised frame in standard paper sizes available from stock
- Mitred corners
- Custom finishes for 20+ pieces
- RAL colours for 1+ pieces
- Other versions also available for 1+ pieces, e.g. metal back panel, without cover sheet
- Minimum frame size: A6
- Maximum frame size: 750 x 1000 mm



Silver Snap Frame with 15mm Profile & Mitred Corners

- Mitred corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0001.1

Insert size: A2 (420 x 594 mm)

50.0001.2

Insert size: A3 (297 x 420 mm)

50.0001.3

Insert size: A4 (210 x 297 mm)

50.0001.4

Insert size: A5 (148 x 210 mm)

50.0001.5

Insert size: 500 x 700 mm

50.0001.6

Insert size: 700 x 1000 mm

50.0001.7



Example prices for frame with upper profile powdercoated in RAL colours

Colour of upper profile:
powdercoated in standard RAL colours;
Colour of subprofile: silver press blank;
Insert size: A1 (594 x 841 mm)

50.0001.45



1. Frame with silver anodised upper profile.

2. Frame with RAL powder coated upper profile.

Current prices can be found on our website.

Aluminium Snap Frames with 25 mm Profile

1

Snap Frames



- Frame available from stock in standard paper sizes in silver anodised, black anodised and stainless steel effect
- Mitred and rounded corners
- Custom sizes available for 1+ pieces
- RAL colours for 1+ pieces
- In chrome effect, gold effect and wood effect for 20+ pieces
- Other finishes available for 1+ pieces, e.g. 2-sided, metal back panel, without cover sheet, special fixings, adhesive tape
- Available with safety profile without grip for 20+ pieces
- Minimum frame size: A6
- Maximum frame size: 1000 x 1400 mm

Click Frame, 25 mm profile, with mitred corners, silver anodised

- Mitred corners
- Silver anodised profile
- Can be displayed in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With hole in lower profile for screwing or hanging
- Individually packaged in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0003.1

Insert size: A2 (420 x 594 mm)

50.0003.2

Insert size: A3 (297 x 420 mm)

50.0003.3

Insert size: A4 (210 x 297 mm)

50.0003.4

Insert size: A5 (148 x 210 mm)

50.0003.5

Insert size: 500 x 700 mm

50.0003.6



Other formats can be found at www.vkf-renzel.com!



Click Frame, 25 mm profile, with mitred corners, black anodised

- Mitred corners
- Black anodised profile
- Can be displayed in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With hole in lower profile for screwing or hanging
- Individually packaged in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0003.224

Insert size: A2 (420 x 594 mm)

50.0003.225

Insert size: A3 (297 x 420 mm)

50.0003.226

Insert size: A4 (210 x 297 mm)

50.0003.227



Snap Frame, 25 mm profile, with mitred corners, stainless steel effect

- Mitred corners
- Stainless steel effect upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0003.214

Insert size: A2 (420 x 594 mm)

50.0003.215

Insert size: A3 (297 x 420 mm)

50.0003.216

Insert size: A4 (210 x 297 mm)

50.0003.217



Current prices can be found on our website.




Example prices for frame with upper profile powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Profile width: 25 mm;
Insert size: A1 (594 x 841 mm)
50.0003.1186



Example price for frame with upper profiles in chrome effect

Colour of upper profile: chrome effect;
Profile width: 25 mm;
Insert size: A1 (594 x 841 mm)
Minimum order quantity: 20 pieces
50.0003.1121



Example price for frame with upper profiles in gloss gold effect

Colour of upper profile: gloss gold effect;
Profile width: 25 mm;
Insert size: A1 (594 x 841 mm)
Minimum order quantity: 20 pieces
50.0003.1122



Example price for frame with upper profiles in wood effect

Colour of upper profile: wood effect;
Profile width: 25 mm;
Insert size: A1 (594 x 841 mm)
Minimum order quantity: 20 pieces
50.0003.549



Example price for frame with safety profile with grip

Colour of upper profile: silver anodised;
Profile width: 25 mm safety;
Insert size: A1 (594 x 841 mm);
Tamperproofing: with safety profile
Minimum order quantity: 20 pieces
50.0003.512



Key for Aluminium Snap Frame Special Profile without Grip

Material: plastic; Colour: grey
50.0052.2

Other formats can be found at www.vkf-renzel.com!



Click Frame, 25 mm profile, with rounded corners, silver anodised

- Chrome coloured rounded corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0008.1

Insert size: A2 (420 x 594 mm)

50.0008.2

Insert size: A3 (297 x 420 mm)

50.0008.3

Insert size: A4 (210 x 297 mm)

50.0008.4

Insert size: 500 x 700 mm

50.0008.5



Fire Retardant Snap Frame, 25 mm profile, with mitred corners, silver anodised

- Anti-reflective, fire retardant cover sheet and metal back panel
- Mitred corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape orientation
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A1 (594 x 841 mm)

50.0003.1175

Insert size: A2 (420 x 594 mm)

50.0003.1176

Insert size: A3 (297 x 420 mm)

50.0003.1177

Insert size: A4 (210 x 297 mm)

50.0003.1178



Current prices can be found on our website.

**Double-Sided Click Frame,
25 mm profile, with mitred corners,
silver anodised**

- 2-sided with 2 metal hanging eyelets
- Mitred corners
- Silver anodised upper profiles
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheets
- Individually packaged in a strong box

Frame material: aluminium;
Insert size: A1 (594 x 841 mm);
Orientation: portrait

50.0003.14

Corresponding hanging sets
can be found on page 82 (50.0041.1)
and page 87 (80.0932.1).

1. Example of use



Other formats can be found at www.vkf-renzel.com!

Click Frames with 32 mm Profile



1. Aluminium Snap Frame with 32 mm Profile

- Silver anodised frame in standard paper sizes available from stock
- Mitred and rounded corners
- Custom sizes for 1+ pieces
- RAL colours for 1+ pieces
- In gloss gold effect for 20+ pieces
- Other versions also available for 1+ pieces, e.g. 2-sided, metal back panel, without cover sheet, special fixings, adhesive tape
- With safety profile without grip for 20+ pieces
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm



Click Frame, 32 mm profile, with mitred corners, silver anodised

- Mitred corners
- Silver anodised profile
- Can be displayed in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With hole in lower profile for screwing or hanging
- Individually packaged in a strong box

Frame material: aluminium

Insert size: A0 (841 x 1189 mm)

50.0005.7

Insert size: A1 (594 x 841 mm)

50.0005.1

Insert size: A2 (420 x 594 mm)

50.0005.2

Insert size: A3 (297 x 420 mm)

50.0005.3

Insert size: 500 x 700 mm

50.0005.5

Insert size: 700 x 1000 mm

50.0005.6



Current prices can be found on our website.



Example prices for frame with upper profile powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Profile width: 32 mm; Insert size: A1 (594 x 841 mm)

50.0005.817



Example price for frame with upper profiles in gloss gold effect

Colour of upper profile: gloss gold effect;
Profile width: 32 mm; Insert size: A1 (594 x 841 mm)

Minimum order quantity: 20 pieces

50.0005.776



Example price for frame with safety profile with grip

Colour of upper profile: silver anodised;
Profile width: 32 mm safety; Insert size: A1 (594 x 841 mm)

Minimum order quantity: 20 pieces

50.0005.777



Key for Aluminium Snap Frame Special Profile without Grip

Material: plastic; Colour: grey

50.0052.2

Other formats can be found at www.vkf-renzel.com!



Click Frame, 32 mm profile, with rounded corners, silver anodised

- Chrome coloured rounded corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A0 (841 x 1189 mm)

50.0010.7

Insert size: A1 (594 x 841 mm)

50.0010.1

Insert size: A2 (420 x 594 mm)

50.0010.2

Insert size: A3 (297 x 420 mm)

50.0010.3

Insert size: 500 x 700 mm

50.0010.5

Insert size: 700 x 1000 mm

50.0010.6



Click Frame with Lamp Post Holder, 32 mm profile, with mitred corners, silver anodised

- With 2 holders and metal bands (ø approx. 140-160 mm) for attaching to e.g. lampposts
- Metal back panel for increased stability
- Anti-reflective, UV-stabilised cover sheets
- Mitred corners
- Silver anodised upper profile
- Each frame individually packed in a strong box

Frame material: aluminium;

Orientation: portrait

Insert size: A1 (594 x 841 mm)

50.0005.219

Insert size: A2 (420 x 594 mm)


50.0005.220

Due to the weather conditions affecting lampposts and the corresponding movement of the snap frame we are not able to offer any waterproof snap frames for attaching to lampposts.

Current prices can be found on our website.

Window Frame System

- Self-adhesive snap frame to attach to window frames
- Ideal for doublesided display of promotional offers due to missing back panel
- Exchangeable frame for the inner side of the window pane
- Flat aluminium profile (counterprofile) to cover the adhesive tape on the outside of the window pane
- Loose polystyrene panel prevents light shining through when using 2 posters
- Can be fitted in portrait or landscape format
- Mitred corners
- Silver anodised upper profile and counterprofile
- Anti-reflective, UV-stabilised cover sheet
- Each frame individually packed in a strong box



Window Frame, 25 mm profile, with mitred corners, silver anodised

Frame material: aluminium;
Profile width: 25 mm;
Insert size: A4 (210 x 297 mm)
50.0014.30


1. Counter profile
2. 25 mm profile (A4)
3. Double-sided adhesive tape
4. Glass panel



Window Frame, 32 mm profile, with mitred corners, silver anodised

Frame material: aluminium;
Profile width: 32 mm
Insert size: A0 (841 x 1189 mm)
50.0014.6
Insert size: A1 (594 x 841 mm)
50.0014.1
Insert size: A2 (420 x 594 mm)
50.0014.2
Insert size: A3 (297 x 420 mm)
50.0014.3
Insert size: 700 x 1000 mm
50.0014.5

1. Counter profile
2. 32 mm profile
3. Double-sided adhesive tape
4. Glass panel



Other formats can be found at www.vkf-renzel.com!



2. Aluminium Snap Frame with 32 mm „Straight“ Profile

- Silver anodised frame in standard paper sizes available from stock
- Mitred corners
- Custom finishes for 20+ pieces
- RAL colours for 1+ pieces
- 2-sided or with adhesive tape on the reverse for 1+ pieces
- Other versions also available for 20+ pieces, e.g. metal back panel, without cover sheet, special fixings
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm



Click Frame „Straight“, 32 mm profile, with mitred corners, silver anodised

- Mitred corners
- Silver anodised profile
- Can be displayed in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With hole in lower profile for screwing or hanging
- Individually packaged in a strong box

Frame material: aluminium

Insert size: A0 (841 x 1189 mm)

50.0278.4

Insert size: A1 (594 x 841 mm)

50.0278.1

Insert size: A2 (420 x 594 mm)

50.0278.2

Insert size: A3 (297 x 420 mm)

50.0278.3



Current prices can be found on our website.



3. Plastic Snap Frame with 32 mm Profile

- Frame in grey similar to RAL 7035
- Mitred corners
- Custom sizes available for 1+ pieces
- Other finishes available for 1+ pieces, e.g. 2-sided, without cover sheet, special fixings, adhesive tape
- Minimum frame size: A5
- Maximum frame size: 1400 x 2000 mm

Click Frame, 32 mm profile, with mitred corners, grey

- Made from plastic
- Can be used in electromagnetic fields (electronic product security)
- Lower impact sensitivity than aluminium
- Low heat conduction
- Frame weight lower than aluminium
- Mitred corners
- Upper profile grey similar to RAL 7035
- Can be mounted in portrait or landscape format
- PVC foam back panel and anti-reflective, UV-stabilised cover sheet
- Other fixing options available on request


Insert size: 430 x 1276 mm

50.0276.9

Insert size: A1 (594 x 841 mm)

50.0276.10

1. Example of use



Made completely of plastic!

Other formats can be found at www.vkf-renzel.com!


Waterproof Snap Frame „Eco“ in Aluminium



- Silver anodised frame in standard paper sizes available from stock
- Available from stock with tamperproofing via Allen screw
- Mitred corners
- Custom sizes for 20+ pieces
- RAL colours for 1+ pieces
- Adhesive tape on reverse for 20+ pieces
- Other versions also available for 20+ pieces, e.g. metal back panel, special fixings
- Minimum frame size: A4
- Maximum frame size: 1000 x 1900 mm



Current prices can be found on our website.



Waterproof Click Frame „Eco 35“, 35 mm profile, with mitred corners, silver anodised

- Waterproof with special seal and profile technology
- Mitred corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- With holes in lower profile to screw or hang in place
- Each frame individually packed in a strong carton

Frame material: aluminium

Insert size: A0 (841 x 1189 mm)

50.0151.6

Insert size: A1 (594 x 841 mm)

50.0151.1

Insert size: A2 (420 x 594 mm)

50.0151.2

Insert size: A3 (297 x 420 mm)


50.0151.3

Insert size: 500 x 700 mm

50.0151.4

Insert size: 700 x 1000 mm

50.0151.5



Waterproof Click Frame „Eco 25“, 25 mm profile, with mitred corners, silver anodised

Frame material: aluminium; Insert size: A4 (210 x 297 mm)

50.0003.85



Other formats can be found at www.vkf-renzel.com!



Example prices for frame with upper profile powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours; Profile width: 35 mm; Insert size: A1 (594 x 841 mm); Waterproof: yes
50.0151.72



Waterproof Click Frame „Eco 35“ with Tamperproofing, 35 mm profile, with mitred corners, silver anodised

- Effective protection against unauthorised opening of the snap frame thanks to Allen screw technology
- To exchange the poster, the Allen screw must first be released
- Waterproof thanks to special seal and profile technology
- Mitred corners
- Silver anodised upper profile
- Can be fitted in portrait or landscape format
- Weather resistant polystyrene back panel and anti-reflective. UV-stabilised cover sheet
- With holes hidden in lower profile
- Each frame individually packed in a strong box

Frame material: aluminium

Insert size: A0 (841 x 1189 mm)

50.0151.9

Insert size: A1 (594 x 841 mm)

50.0151.7

Insert size: A2 (420 x 594 mm)

50.0151.10

Insert size: A3 (297 x 420 mm)





50.0151.11

Insert size: 500 x 700 mm

50.0151.12

Insert size: 700 x 1000 mm

50.0151.13



Current prices can be found on our website.

Aluminium Snap Frame with 42 mm Safety Profile



- Mitred corners
- Bespoke finish for 20+ pieces
- RAL colours for 20+ pieces

- Other options available for 20+ pieces, e.g. polystyrene back pane, special fixings, adhesive tape
- Minimum frame size: A2
- Maximum frame size: 1350 x 2500 mm

Lorry Snap Frame, 42 mm safety profile, with mitred corners, silver anodised

- Special attachment of cover sheets using a hinge system
- Metal back panel for increased stability
- Mitred corners
- Silver anodised upper profile
- For landscape format
- Anti-reflective, UV-stabilised cover sheet
- Each frame individually packed in a strong box

Frame material: aluminium;
Tamperproofing: with safety profile;
Waterproof: no

Insert size: A00 (1189 x 1682 mm)

50.0019.16

Insert size: A0 (841 x 1189 mm)

50.0019.15

Insert size: A1 (594 x 841 mm)

50.0019.17



Opening Lever

Material: plastic; Colour: white

50.0052.3

Other sizes on request for orders of 1 piece.

1. Pictured with accessories: opening key 50.0052.3
2. Film fixed using hinge system.



Other formats can be found at www.vkf-renzel.com!

For orders of 20+ we can manufacture frame systems in the following profiles:



20 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A6
- Maximum frame size: 1000 x 1400 mm



38 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A4
- Maximum frame size: 1400 x 2000 mm



45 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm



70 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm

Current prices can be found on our website.

Poster and Banner Clamp Strips



Thanks to their ease of handling and high quality appearance, poster and banner clamp rails in aluminium can be used to hang promotional media almost anywhere. From a light poster to a heavy banner, printed on one or both sides, we can supply a clamp rail to suit.

Hanging Poster and Banner Clamp Rails in Aluminium



Clamp Strip „Poster-Snap II“

- Ideal for posters
- Consists of 2 clamp rails (1x top, 1x bottom as a counterweight)
- Rubberised surface in the clamp rails to reinforce the mechanism
- With 2 grey, moveable plastic hangers on one rail
- With black end caps
- Silver anodised aluminium
- Special lengths of 3000 mm for 1+ sets
- RAL colours for 20+ sets
- With adhesive / magnetic tape for 1+ sets

Profile width: 25 mm

Clamp length: 1200 mm (A0 landscape)

50.0095.9

Clamp length: 841 mm

(A0 portrait / A1 landscape)

50.0095.8

Clamp length: 600 mm

(A1 portrait / A2 landscape)

50.0095.1

Clamp length: 420 mm

(A2 portrait / A3 landscape)

50.0095.2

Clamp length: 297 mm

(A3 portrait / A4 landscape)

50.0095.3

Clamp length: 210 mm

(A4 portrait / A5 landscape)

50.0095.4

Clamp length: 500 mm

50.0095.5

Clamp length: 700 mm

50.0095.6


Clamp length: 800 mm

50.0095.17

Clamp length: 1000 mm

50.0095.7

1. *Special finish with double-sided adhesive or magnetic tape.*



Current prices can be found on our website.

Example of Bespoke Production



Clamp Rail „Poster Snap“


The self-adhesive clamp strip is ideal for displaying information such as on information walls. The clamp rail consists of 1 openable, silver anodised aluminium profile with black end caps. The clamp rail is fitted with double-sided adhesive on the reverse. A rubberised surface in the clamp profiles further reinforces the clamp mechanism. Posters are exchanged by flipping open the profiles. Other sizes available for 1+ pieces

Clamp length: 210 mm (A4 portrait / A5 landscape);
Profile width: 25 mm; Features: double sided adhesive
tape on rear of profile
50.0102.2

Clamp Rail „Poster Snap II“

Great for heavy posters; With 2 screws to secure the poster; Consists of 2 clamp rails (1x top, 1x bottom as counterweight); Other sizes for 20+ sets

Clamp length: 841 mm (A0 portrait / A1 landscape); Profile width: 25 mm;
Features: poster fixed with 2 screws
50.0095.348



Other formats can be found at www.vkf-renzel.com!



Clamp Strip „Poster and Banner Fix II“

- Ideal for posters and banner
- Same look on both sides
- Consists of 2 clamp profiles (1x top, 1x bottom as a counterweight)
- Poster / Banner fixing with plastic sign gripper which is slid sideways in to the profile
- With 2 transparent, sliding plastic hangers on one rail
- With black end caps
- Silver anodised aluminium
- Custom lengths up to 3000 mm available for 1+ pieces
- RAL colours for 20+ sets

Profile width: 21 mm; Suitable for material thickness: 10-500 micron

Clamp length: 1200 mm (A0 landscape)

50.0099.9

Clamp length: 841 mm
(A0 portrait / A1 landscape)

50.0099.8

Clamp length: 600 mm
(A1 portrait / A2 landscape)

50.0099.1

Clamp length: 420 mm
(A2 portrait / A3 landscape)

50.0099.2

Clamp length: 297 mm
(A3 portrait / A4 landscape)

50.0099.3

Clamp length: 210 mm
(A4 portrait / A5 landscape)

50.0099.4

Clamp length: 500 mm

50.0099.5

Clamp length: 700 mm


50.0099.6

Clamp length: 800 mm

50.0099.13

Clamp length: 1000 mm

50.0099.7



Ideal for double-sided display.

Current prices can be found on our website.

Banner Clamp Rail „Easy“

- Ideal for large and heavy banners
- Consists of 2 clamp rails (1x top, 1x bottom as a counterweight)
- Tried and tested clamp system
- With 2 black, sliding plastic hangers on one rail
- With black end caps
- Silver anodised aluminium
- Custom lengths up to 3000 mm available for 1+ sets
- RAL colours for 20+ sets

Profile width: 30mm; Suitable for material thickness: 50-500 micron

Clamp length: 500 mm

50.0103.6

Clamp length: 600 mm

(A1 portrait / A2 landscape)

50.0103.5

Clamp length: 700 mm

50.0103.4

Clamp length: 800 mm


50.0103.3

Clamp length: 900 mm

50.0103.2

Clamp length: 1000 mm

50.0103.1



Other formats can be found at www.vkf-renzel.com!

Poster Catch

2



Clamp Strip „Poster Catch“

- Ideal for holding notes, papers, order slips
- No magnets or pins required
- To attach notes slide in to the profile from below
- Fitting holes hidden beneath the end caps
- With adhesive tape on the reverse
- Incl screws and rawlplugs
- Custom lengths for 20+ pieces
- RAL colours for 20+ pieces

Material: aluminium / plastic;
Profile colour: silver anodised; Endcap: grey

Clamp length: 1204 mm (A0 landscape)

50.0167.9

Clamp length: 857 mm
(A0 portrait / A1 landscape)

50.0167.8

Clamp length: 600 mm
(A1 portrait / A2 landscape)

50.0167.1

Clamp length: 434 mm
(A2 portrait / A3 landscape)

50.0167.2

Clamp length: 298 mm
(A3 portrait / A4 landscape)

50.0167.3

Clamp length: 222 mm
(A4 portrait / A5 landscape)

50.0167.4

Clamp length: 1008 mm

50.0167.7

Clamp length: 706 mm

50.0167.6

Clamp length: 509 mm

50.0167.5

Current prices can be found on our website.

Floorstanding Stands for Indoor Use



3

By using our floorstanding displays you can provide information in the form of posters and / or leaflets to customers at the point of sale. Here you will find a small selection from our range:

Leaflet Stands



Leaflet Stand Tondo NG

- Floorstanding leaflet stand in metal
- Slim design
- Doublesided
- Curved leaflet box
- With 6x A4, 8x A5 or 8x 1/3 A4 leaflet holders
- Base colour: silver
- Header board available as an accessory
- Direct from the manufacturer

Dispenser material: polystyrene;
Orientation: portrait;
Base diameter: 320 mm;
Total height: 1550 mm;
Fill depth: approx. 35 mm

Dispenser size: A4; Number of dispensers: 6

54.0067.5

Dispenser size: A5; Number of dispensers: 8

54.0067.8

Dispenser size: 1/3 A4;
Number of dispensers: 8

54.0067.11

We also have a poster stand in our range
in the same finish - see page 43



Current prices can be found on our website.



Leaflet Stand „Brushed“

- Modern and stylish multiple section leaflet stand
- Optimum reading angle with curvature
- Body in brushed aluminium, base in silver painted MDF
- With 3 holders in acrylic
- For A3 landscape or 2x A4 portrait

Version: 1-sided; Shelf size: A3 landscape / 2x A4 portrait;
Fill depth: 60 mm; Total height: 1400 mm

50.0258.1

We also have an info display in our range
in the same finish - see page 51.



Leaflet Stand „ZigZag“

- Multi-section leaflet stand in a classic zigzag design
- Leaflets can be removed from all sides
- 6 acrylic trays
- For A4 portrait leaflets
- Stainless base in powder coated aluminium

Version: 2-sided; Material: aluminium / acrylic;
Shelf size: A4 (210 x 297 mm); Fill depth: 30mm; Height: 1500 mm

50.0089.2

Other formats can be found at www.vkf-renzel.com!



Leaflet Stand „Alice“

- Elegant floorstanding leaflet stand
- Mix of silver anodised aluminium and acrylic
- Available with 1, 2 or 3 holders in A4 portrait

Shelf size: A4 (210 x 297 mm); Orientation: portrait;
Fill depth: 40 mm; Width: 265 mm; Depth: 280 mm

Number of shelves: 1; Height: 900 mm

50.0089.3

Number of shelves: 2; Height: 1200 mm

50.0089.4

Number of shelves: 3; Height: 1200 mm

50.0089.5

Current prices can be found on our website.

Leaflet Stand „Mars“

- Multiple section leaflet stand in aluminium
- Also ideal for outdoor use thanks to the pavement sign shape
- With 12 „Apollo“ leaflet holders
- For A4 portrait leaflets
- Fill depth of each section: 30 mm
- Also available on request with water resistant leaflet holders

Version: 2-sided; Insert size: A4 (210 x 297 mm); Orientation: portrait;
Size: 520 x 1200 x 565 mm (W x H x D)
50.0087.2

Also available in other sizes:

1. 50.0087.1
2. 50.0087.3
3. 50.0088.2



1



2



3

Other formats can be found at www.vkf-renzel.com!



Lectern Stand „Info Aluminium“

- Shelf in silver anodised aluminium
- Shelf size 2x A4 portrait or A3 landscape
- For leaf through catalogues or individual sheets
- With or without ring mechanism mit oder ohne Ringmechanik
- Silver anodised upright and silver powder coated steel base

Shelf width: 450 mm; Shelf height: 320 mm;
Fill depth: 30mm; Base diameter: 255 mm;
Total height: 1100 mm

Shelf size: A3 landscape / 2x A4 portrait;
Features: without ring binder

51.0020.22

Shelf size: 2x A4 portrait;
Features: with ring binder

51.0020.23


1. Also available with acrylic shelf



①

Current prices can be found on our website.

Examples of Bespoke Production



Leaflet Dispenser

2-sided, with 12 holders for A4 portrait leaflets, 6 shelves measuring 210 x 150 mm and a header board for A4 landscape poster

Minimum order quantity: 20 pieces

50.0182.5



Catalogue / Book Stand

With 4 wheels; For A4 catalogues (1st + 2nd level), A5 (3rd + 4th level) and A6 (top level) / can also be used as a book display

Minimum order quantity: 20 pieces

50.0089.24

Other formats can be found at www.vkf-renzel.com!



Leaflet Stand „Ellipse“

2-sided; 2 curved, opal polystyrene panels each with 6 holders for A4 leaflets; Encased in a frame of silver anodised aluminium; Stability is provided by a strong, powdercoated steel base

Minimum order quantity: 30 pieces
50.0219.3

Current prices can be found on our website.

Poster and Leaflet Stands

Poster and Leaflet Display „Tondo XL NG“

- Single-sided poster stand with leaflet holder
- For posters in A0, A1 or A2 portrait format
- Silver anodised click frames with 32 mm profile
- Frame incl. polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- Silver ladder effect base with steel base
- Leaflet holder for A4 with a 40 mm fill depth
- Using the different rungs of the ladder, the frame and the leaflet holder can be attached at the required height

Orientation: portrait; Type of corner: mitred;
Base diameter: 320 mm; Dispenser size: A4
(210 x 297 mm) portrait format;
Total height: 1850 mm

Insert size: A0 (841 x 1189 mm)

50.0081.13

Insert size: A1 (594 x 841 mm)

50.0081.28

Insert size: A2 (420 x 594 mm)

50.0081.29


We also have a leaflet stand (54.0067.5)
in our range in the same finish - see page 36.



3

Floorstanding Stands for Indoor Use

Also available doublesided and in other sizes:



Other formats can be found at www.vkf-renzel.com!




Poster Stand „Info“, 32 mm profile, with rounded corners, silver anodised

- Double-sided poster stand
- For 2 posters in A1 portrait format
- Click frames incl. polystyrene back panels and anti-reflective, UV-stabilised cover sheets
- Base and frame in silver anodised aluminium with chrome coloured rounded corners
- RAL colours for orders of 20+
- Special finishes for orders of 20+
- Double-sided leaflet shelf available as an accessory

Insert size: A1 (594 x 841 mm);
Dispenser size: without;
Total height: 1800 mm
50.0083.2



1. Pictured incl. accessories:
Leaflet Tray 50.0093.24



Double-sided Leaflet Shelving for Poster Stand „Info“

- To hang over the horizontal bar of the poster stand
- For 3 A4 leaflets on each side
- Clear acrylic

Dispenser size: 3x A4 (210 x 297 mm),
double-sided; Orientation: portrait;
Fill depth: 40 mm
50.0093.24



Current prices can be found on our website.

Moveable Poster Stand „Info“ with Header Board, 32 mm profile, with rounded corners, silver anodised

- Double-sided poster stand with header board
- Can be moved on 4 wheels, 2 with brakes
- Header board in 3 mm aluminium can be used on both sides
- For 2 A1 portrait format posters
- Click frame incl. polystyrene back panels with anti-reflective, UV-stabilised cover sheets
- Base and frame in silver anodised aluminium with chrome coloured rounded corners
- RAL colours for orders of 20+
- Special finishes for orders of 20+
- Customisation of header board available for 1+
- Double-sided leaflet tray available as an accessory

Insert size: A1 (594 x 841 mm);

Dispenser size: without; Header board: yes;

Number of wheels: 4, 2 with brakes;

Total height: 1950 mm

50.0083.20



1. Pictured incl. accessories:
Leaflet Tray 50.0093.24
2. Custom design header boards
available for orders of just 1 piece.



Other formats can be found at www.vkf-renzel.com!



Poster Display „TOMA“ with magnetic pockets

- Good stability through own weight of approx. 40 kg
- Doublesided poster stand
- For 2 posters in A1 portrait format
- Powdercoated metal
- 2 anti-reflective, UV-stabilised cover sheets with magnetic tape surround
- Leaflet holder or product display available as accessories
- RAL colours for 1+ pieces

Insert size: A1 (594 x 841 mm); Total width: 624mm;
Total height: 1800 mm; Total depth: 490 mm

50.0228.1



1. With threaded holes for subsequent attachment of leaflet shelf 50.0093.12 or product shelf 50.0093.11.



Shelving Tray for Poster Display „TOMA“

- To screw to the existing holes
- Shelf depth 120 mm
- Clear acrylic

Dispenser size: 624 x 120 mm (W x D); Fill depth: 20 mm

50.0093.11

1. Poster Display „TOMA“ with attached shelf



Leaflet Shelf for Poster Display „TOMA“

- To screw to existing holes
- For 3 A4 leaflets
- Clear acrylic

Dispenser size: A4 (210 x 297 mm);
Orientation: portrait; Fill depth: 50 mm

50.0093.12

1. Poster Display „TOMA“ with leaflet shelf attached

Current prices can be found on our website.

Examples of Bespoke Production



Poster Stand

2-sided; For poster size: 610 x 2000 mm
Minimum order quantity: 20 pieces
50.0209.1



Poster and Leaflet Stand

2-sided; With 2 snap frame for A2 posters;
2 snap frames for A3 posters and 2 leaflet holders for A4 leaflets
Minimum order quantity: 20 pieces
50.0234.4

TV Dummy

1-sided; For A1 landscape posters
Minimum order quantity: 20 pieces
50.0209.3



Other formats can be found at www.vkf-renzel.com!



Poster and Leaflet Stands

With 2 acrylic pockets for posters in A3 landscape / A4 portrait format, 2 leaflet holders for A4 portrait leaflets and a business card box

Minimum order quantity: 20 pieces
50.0234.5



Poster Stand

1-sided; For 6 A4 portrait posters

Minimum order quantity: 20 pieces
50.0209.6

Current prices can be found on our website.

Floorstanding Poster Stands for Indoor Use

Poster Stand

Aluminium frame with enclosed acrylic panel and header board in aluminium composite. The posters are held in place using 2 cover sheets with magnetic tape

Minimum order quantity: 20 pieces

50.0209.8



Other formats can be found at www.vkf-renzel.com!

Floor Standing Poster Stands



Info Display „Curved“, 25 mm Profile, silver anodised

- Optimum reading angle
- With click frame for posters in A4 or A3 format
- Mitred or rounded corners
- Can be used in portrait or landscape format
- Upright can be mounted convex or concave
- Frame incl. polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- Silver anodised aluminium upright and silver powdercoated steel base
- RAL colours for 20+ pieces
- Custom sizes for 20+ pieces

Size of base: 245 x 320 mm (W x H);
Total height: approx. 1100 mm

Type of corner: mitred;
Insert size: A3 (297 x 420 mm)

50.0256.1

Type of corner: mitred;
Insert size: A4 (210 x 297 mm)

50.0256.2

Type of corner: rounded;
Colour of corners: chrome plated;
Insert size: A3 (297 x 420 mm)

50.0256.3

Type of corner: rounded;
Colour of corners: chrome plated;
Insert size: A4 (210 x 297 mm)

50.0256.4

1. Detailed view of mitred corner

2. Detailed view of rounded corner



Example price for Infodisplay „Curved“ powdercoated in black:



Info Display „Curved“

Type of corner: mitred;
Insert size: A3 (297 x 420 mm);
Frame colour: black similar to RAL 9005, powder coated;
Colour of frame: black similar to RAL 9005, powder coated; Colour of base: black similar to RAL 9005, powder coated

Minimum order quantity: 20 pieces

50.0256.6

Current prices can be found on our website.

Info Display „Brushed“

- Perfect reading angle
- Body in brushed aluminium
- For A4 posters
- Strong, silver painted MDF base
- Fixed with cable system
- Custom finishes for 20+ pieces

Insert size: A4 (210 x 297 mm);

Orientation: portrait;

Poster insert material: acrylic;

Size of base: 250 x 350 mm (W x D);

Total height: 1140 mm

50.0257.1

We also have a leaflet stand in our range
in the same finish - see page 37



Other formats can be found at www.vkf-renzel.com!

Floorstanding Poster Stands for Indoor Use

Examples of Bespoke Production



Infodisplay

Chrome plated, for A3 portrait / landscape posters
Minimum order quantity: 20 pieces



Infodisplay „Paradies“

With laser engraving; Insert frame for posters
in A3 portrait format (also available in other sizes)
Minimum order quantity: Without engraving: 20 pieces
With engraving: 100 pieces
50.0252.5

Current prices can be found on our website.

Examples of Bespoke Production „Displays for Indoor Use“



Shelf System

With 6 sections of 300 x 300 mm, 3 sections incl acrylic box
Minimum order quantity: 20 pieces
50.0182.7

Other formats can be found at www.vkf-renzel.com!



Shelf System

2-sided; With 3 trays measuring 700 x 200 mm and 2 snap frame for posters 700 x 150 mm


Minimum order quantity: 20 pieces

Without print

50.0182.3

With custom print

50.0182.4



Presentation Display

with 4 300 mm radius trays; 3 acrylic boxes 200 x 200 x 200 mm and a header board for posters in A4 landscape format

Minimum order quantity: 20 pieces

50.0182.6

Current prices can be found on our website.



PVC Sign & Poster Display

1-sided, for printed foamed PVC panels 650 x 1400 mm, incl. hook and loop fastening; With 4 leaflet holders for A4 portrait leaflets

Minimum order quantity: 20 pieces

Without promotional area

50.0309.1

With promotional area, unprinted

50.0309.2

With promotional area, with custom print

50.0309.3

Other formats can be found at www.vkf-renzel.com!



Totem Column „Curved“

2-sided, incl. 4 wheels; with divided snap profile for individual panels; Overall motif size 800 x 1800 mm

Minimum order quantity: 20 pieces

Without insert panel

50.0308.1

With insert panel, unprinted

50.0308.2

With insert panel, with custom print

50.0308.3



Triangular Banner Stand

Rotating; For 3 banners 400 x 1600 mm

Minimum order quantity: 20 pieces

50.0185.196

Current prices can be found on our website.

Pavement Signs / Floorstanding Poster Stands for Outdoor Use



4


Pavement Signs / Floorstanding Poster Stands for Outdoor Use

For every area we offer a pavement sign to suit.

In the pavement signs with standard sized silver anodised click frames and silver anodised framework you will find tried and tested technology of a high standard and at an attractive price. Thanks to the large selection of differing models, pavement signs are versatile and can be chosen to suit their application. Select between, among others, the light pavement signs with a 25 mm click frame profile and plastic back panel or pavement signs with a 32 mm click frame profile and galvanised metal back panel. Windproof pavement signs (WindSigns) are also available in many finished and poster sizes. Furthermore, there are many other types in our range including waterproof pavement signs, pavement signs with tamperproofing, pavement signs with a built-in header board and many more models.

The range of pavement signs is rounded off with corresponding accessories and replacement parts which we can offer for your pavement sign.

A-Boards



- Silver anodised waterproof display in various sizes available from stock
- Various sizes of silver anodised 32 mm, 25 mm and 35 mm profile available from stock
- 32 mm and 25 mm profile with mitred or rounded corners, 35 mm profile with mitred corners
- Custom sizes of 32 mm and 25 mm profile for 1+ piece, 35 mm profile for 20+ pieces
- RAL colours available in 32 mm and 25 mm profile for 1+ piece, 35 mm and 25 mm „Eco“ profile for 20+ pieces
- 32 mm or 25 mm safety profile without grip for 20+ pieces

Current prices can be found on our website.

A-Board, 32 mm profile, with rounded corners, silver anodised

- Double-sided
- Chrome coloured rounded corners
- Weather resistant, galvanised metal back panel and anti-reflective, UV-stabilised cover sheets
- Frame and base silver anodised
- Accessories such as a header board or hanging wire baskets are available as optional extras

Orientation: portrait

Insert size: A0 (841 x 1189 mm);

Total height: 1400 mm

50.0059.5

Insert size: A1 (594 x 841 mm);

Total height: 1200 mm

50.0059.1

Insert size: A2 (420 x 594 mm);

Total height: 900 mm

50.0059.2

Insert size: 500 x 700 mm;

Total height: 910 mm

50.0059.3

Insert size: 700 x 1000 mm;

Total height: 1140 mm

50.0059.4

1. Pictured with accessories



Bestseller.

Other formats can be found at www.vkf-renzel.com!



A-Board, 32 mm profile, with mitred corners, silver anodised

- Doublesided
- Mitred corners
- Weather resistant, galvanised metal back panel and anti-reflective, UV-stabilised cover sheet
- Frame and base silver anodised
- Accessories such as a header board or wire baskets are available as optional extras

Orientation: portrait

Insert size: A0 (841 x 1189 mm); Total height: 1400 mm

50.0055.5

Insert size: A1 (594 x 841 mm); Total height: 1200 mm


50.0055.1

Insert size: A2 (420 x 594 mm); Total height: 1000 mm

50.0055.2



Corresponding accessories can be found on page 83.



Example prices for pavement sign powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Profile width: 32 mm; Type of corner: mitred;
Insert size: A1 (594 x 841 mm); Orientation: portrait

Colour of frame: silver anodised

50.0055.55

Minimum order quantity: 20 pieces

Colour of frame: powdercoated in standard RAL colours

50.0055.56



Example price for pavement sign in gloss gold effect

Colour of upper profile: gloss gold effect; Profile width: 32 mm;
Type of corner: mitred; Insert size: A1 (594 x 841 mm);
Orientation: portrait; Colour of frame: silver anodised
Minimum order quantity: 20 pieces

50.0055.57

Current prices can be found on our website.

Waterproof Pavement Sign, 32 mm profile, with mitred corners, silver anodised

- Waterproof with grooved rubber surround on the back panels and the cover sheets
- Double-sided
- Mitred corners
- Weather resistant, galvanised metal back panels and anti-reflective, UV-stabilised cover sheets
- Silver anodised frame and framework
- Accessories such as a header board or wire basket hanger are available as optional extras

Orientation: portrait; Waterproof: yes

Insert size: A0 (841 x 1189 mm); Total height: 1450 mm

50.0055.10

Insert size: A1 (594 x 841 mm); Total height: 1150 mm

50.0055.6

Insert size: A2 (420 x 594 mm); Total height: 1000 mm

50.0055.7

Insert size: 500 x 700 mm; Total height: 1000 mm

50.0055.8

Insert size: 700 x 1000 mm; Total height: 1180 mm

50.0055.9

Further waterproof pavement signs can be found on page 54 onwards.



Protection of registered design in Germany.

Other formats can be found at www.vkf-renzel.com!



A-Board, 25 mm profile, with rounded corners, silver anodised

- Double-sided
- Chrome coloured rounded corners
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- Frame and base silver anodised
- Accessories such as a header board or hanging wire basket are available as optional extras

Orientation: portrait

Insert size: A1 (594 x 841 mm)

50.0057.1

Insert size: A2 (420 x 594 mm)

50.0057.2

Insert size: A3 (297 x 420 mm)

50.0057.3

Insert size: 500 x 700 mm

50.0057.4



A-Board, 25 mm profile, with mitred corners, silver anodised

- Double-sided
- Mitred corners
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheet
- Frame and base silver anodised
- Accessories such as a header board or hanging wire basket are available as optional extras

Orientation: portrait

Insert size: A1 (594 x 841 mm)

50.0053.1

Insert size: A2 (420 x 594 mm)

50.0053.2

Insert size: A3 (297 x 420 mm)

50.0053.3

Insert size: 500 x 700 mm

50.0053.4



Current prices can be found on our website.



Example prices for pavement sign powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Profile width: 25 mm; Type of corner: mitred;
Insert size: A1 (594 x 841 mm); Orientation: portrait

Colour of frame: silver anodised

50.0053.54

Minimum order quantity: 20 pieces

Colour of frame: powdercoated in standard RAL colours

50.0053.55



Example prices for pavement sign in chrome effect

Colour of upper profile: chrome effect; Profile width: 25 mm;
Type of corner: mitred; Insert size: A1 (594 x 841 mm);
Orientation: portrait

Minimum order quantity: 20 pieces

Colour of frame: silver anodised

50.0053.57

Colour of frame: chrome effect

50.0053.59



Example price for pavement sign in gloss gold effect

Colour of upper profile: gloss gold effect; Profile width: 25 mm;
Type of corner: mitred; Insert size: A1 (594 x 841 mm);
Orientation: portrait; Colour of frame: silver anodised
Minimum order quantity: 20 pieces

50.0053.56



Example price for pavement sign in wood effect

Colour of upper profile: wood effect; Profile width: 25 mm;
Type of corner: mitred; Insert size: A1 (594 x 841 mm);
Orientation: portrait; Colour of frame: silver anodised
Minimum order quantity: 20 pieces

50.0053.58

Other formats can be found at www.vkf-renzel.com!



Waterproof Pavement Sign „Eco 35“, 35 mm profile, with mitred corners, silver anodised

- Waterproof thanks to rubber seal surround on the back panels and special profile technology
- Double-sided
- Mitred corners
- Weather resistant polystyrene back panels and anti-reflective, UV-stabilised cover sheets
- Silver anodised frame and framework
- Accessories such as a header board oder wire basket hanger are available as optional extras

Orientation: portrait; Waterproof: yes

Insert size: A0 (841 x 1189 mm); Total height: 1330 mm

50.0155.3

Insert size: A1 (594 x 841 mm); Total height: 1100 mm

50.0155.1

Insert size: A2 (420 x 594 mm); Total height: 870 mm

50.0155.2

Insert size: A3 (297 x 420 mm); Total height: 910 mm

50.0155.4

Insert size: 700 x 1000 mm; Total height: 1400 mm

50.0155.6

Insert size: 500 x 700 mm; Total height: 1050 mm

50.0155.5

Example prices for pavement sign powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Profile width: 35 mm; Type of corner: mitred;
Insert size: A1 (594 x 841 mm); Orientation: portrait;
Waterproof: yes

Minimum order quantity: 20 pieces

Colour of frame: silver anodised


50.0155.28

Colour of frame: powdercoated in standard RAL colours

50.0155.29

Other waterproof pavement signs can be found on our website.

1. Frame with silver anodised upper profile.
2. Frame with RAL powder coated upper profile.



Current prices can be found on our website.

Waterproof Pavement Sign „RT“, 35 mm profile, with mitred corners, silver anodised

- With aluminium promotional panel built in to the frame measuring 250 x 230 mm (W x H)
- Waterproof with rubber seal surround on the back panels and special profile technology
- Doublesided
- Mitred corners
- Weather resistant polystyrene back panels and anti-reflective, UV-stabilised cover sheets
- Silver anodised frame and framework
- Accessories such as header board or wire basket hangers are available as optional extras

Insert size: A1 (594 x 841 mm); Orientation: portrait;
Waterproof: yes; Total height: 1150 mm

50.0155.14



Other formats can be found at www.vkf-renzel.com!



Waterproof Pavement Sign „Smart“, 25 mm profile, with mitred corners, silver anodised

- With fixed, built-in header board in silver anodised aluminium
- Waterproof thanks to rubber seal surround on the back panels and speical profile technology
- Double-sided
- Mitred corners
- Weather resistant polystyrene back panels and anti-reflective, UV-stabilised cover sheets
- Frame, base and header board silver anodised
- Customised header board available for 1+
- Accessories such as hanging wire baskets available as optional extras

Insert size: A1 (594 x 841 mm);
Orientation: portrait; Waterproof: yes;
Width of header board: 638 mm;
Height of header board: approx. 200 mm;
Total height: 1450 mm
50.0061.4



Current prices can be found on our website.

Waterproof Pavement Sign „Topic“, 25 mm profile, with mitred corners, silver anodised

- With fixed header board with exchangeable promotional panel in silver aluminium composite
- Waterproof with rubber seal surround on the back panel and special profile technology
- Doublesided
- Mitred corners
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheets
- Silver anodised frames and framework
- Customised header board for 1+ pieces
- Accessories such as wire basket hangers are available as optional extras

Orientation: portrait; Waterproof: yes;
Height of header board: 150 mm

Insert size: A1 (594 x 841 mm);
Width of header board: 642 mm;
Total height: 1165 mm

50.0061.10

Insert size: A2 (420 x 594 mm);
Width of header board: 468mm;
Total height: 930 mm

50.0061.11

* Incl. digital print on both header board panels, Print / Motif according to customer requirements *

Insert size: A1 (594 x 841 mm);
Width of header board: 642 mm

50.0061.19



Other formats can be found at www.vkf-renzel.com!

Triangular Stands



- Mitred corners
- Custom sizes for 1+ pieces

- RAL colours for 1+ pieces
- With 32 mm safety profile without grip or tamperproofing via hexagonal screw technology for 1+ pieces



Current prices can be found on our website.

Waterproof Triangular Stand „Solid - ECO“, 32 mm Profile, mitred corners

- Optimum 360 degree display of your logo
- Waterproof with rubber seal surround on the back panel
- With 3 strong \varnothing 60 mm aluminium uprights
- Loose metal back panel with cover sheet stuck in place on one short side
- Simplified poster exchange by complete removal of the back panel with cover sheet. Posters are exchanged outside of the frame
- Mitred corners
- Weather resistant metal back panel and anti-reflective, UV-stabilised cover sheets
- Frame and uprights silver anodised

Orientation: portrait; Waterproof: yes; Total height: 1800 mm

Insert size: A1 (594 x 841 mm)

50.0055.45

Insert size: A0 (841 x 1189 mm)

50.0055.44

Example prices for triangular stand powdercoated in RAL colours

Colour of upper profile: powdercoated in standard RAL colours;
Insert size: A1 (594 x 841 mm); Orientation: portrait

Minimum order quantity: 10 pieces

Colour of frame: silver anodised

50.0055.58

Colour of frame: powdercoated in standard RAL colours

50.0055.59

1. Frame with silver anodised upper profile.

2. Frame with RAL powder coated upper profile.



Other formats can be found at www.vkf-renzel.com!

WindSigns

- Suited to use in „stormy“ areas, e.g. coastal regions
- Base can be filled with sand or water
- With spring technology for increased stability
- Wheels built in to the base
- Snap frame in RAL colours for 20+ pieces

4

Pavement Signs / Floorstanding Poster Stand for Outdoor Use



Waterproof Pavement Sign Windsign „NT III“

- With waterproof plastic pockets
- Good stability with optimised base
- Base can be filled with water or sand
- With spring technology for stability even in „stormy“ weather
- Can be moved around on wheels built in to base
- Doublesided
- Mitred corners
- Weatherproof polypropylene hollow back panel and anti-reflective, UV-stabilised pockets
- Grey plastic base and silver anodised frame in aluminium
- Assembled by screwing the frame to the plastic base
- Shipped in 2 boxes

Type of corner: mitred; Orientation: portrait

Insert size: A0 (841 x 1189 mm)

50.0290.1

Insert size: A1 (594 x 841 mm)

50.0290.2

Insert size: 700 x 1000 mm

50.0290.3

**NEW - improved base
and waterproof via
plastic pocket!**



Current prices can be found on our website.

Waterproof WindSign „Seal“

The WindSign „QS I“ has been completely reworked and is now available as the WindSign „Seal“.

Newest generation technology

- NEW: Thicker cover sheet
- NEW: Cover sheets are held by screws to prevent slipping
- NEW: Posters held in place by 2 reusable adhesive strips
- NEW: Completely overhauled seal technology
- NEW: 44 mm profile in a new finish
- Different combinations of frame (silver / black) and base (grey / black) available for 1+ pieces

Waterproof Pavement Sign WindSign „Seal“, 44 mm profile, silver/grey

- Waterproof with optimised seal technology
- Plastic base can be filled with water or sand
- With spring technology for stability in „stormy“ weather
- Can be moved on wheels built in to the base
- Double-sided
- Silver anodised click frame with grey plastic base
- Mitred corners with silver plastic corners at the points
- 2-sided finish incl. anti-reflective, UV-stabilised cover sheet and plastic back panel
- Assembled by screwing the frame to the plastic base
- Shipped in 2 boxes

Orientation: portrait; Waterproof: yes

Insert size: A0 (841 x 1189 mm)

50.0298.1

Insert size: A1 (594 x 841 mm)

50.0298.2

Insert size: 700 x 1000 mm

50.0298.3

For paper inserts only.



Other formats can be found at www.vkf-renzel.com!

NEW



Waterproof Pavement WindSign „Seal“, 44 mm profile, black

- Black powdercoated snap frame and black plastic base
- Mitred corners with black plastic at the points

Orientation: portrait; Waterproof: yes

Insert size: A0 (841 x 1189 mm)

50.0298.4

Insert size: A1 (594 x 841 mm)

50.0298.5

Insert size: 700 x 1000 mm

50.0298.6



For paper inserts only.



Example price for WindSign „Seal“ with RAL powdercoated upper profiles:

Colour: powdercoated in standard RAL colours / grey; Type of corner: mitred with silver plastic corners at points; Insert size: A1 (594 x 841 mm); Orientation: portrait; Waterproof: yes; Colour of base: grey

Minimum order quantity: 20 pieces

50.0298.19

Current prices can be found on our website.

Waterproof WindSign „Seal“, 44 mm profile, silver / grey

- Incl. white, unprinted header board
- Waterproof with optimised seal technology
- Plastic base can be filled with water or sand
- With spring technology for stability even in „stormy“ weather
- Can be moved on wheels built in to the base
- Double-sided
- Mitred corners with silver plastic on the points
- 2-sided finish incl. anti-reflective, UV-stabilised cover sheets and plastic back panel
- Silver anodised click frame and grey plastic base
- Also available in A0 and 700 x 1000 mm
- Also available in black
- Custom printing available for the header board
- Assembled by screwing the frame to the plastic base
- Shipped in 2 boxes

Insert size: A1 (594 x 841 mm);
Orientation: portrait; Waterproof: yes;
Width of header board: 671 mm;
Height of header board: 214mm;
Header board colour: white
50.0298.9

Retrospective fitting with header board is not possible. Exclusively for paper inserts.



Other formats can be found at www.vkf-renzel.com!



Transport Trolley with Wheels for WindSign „Seal“

- Aid to move the Windsign „Seal“ more easily
- Pavement sign no longer needs to be tipped to move

50.0208.9



WindSign „Multi“ with 30 mm Insert Frame Profile

- Ideal for solid panels up to 4.5 mm thick (not included)
- Insert frame in our strong „Multi“ profile
- Plastic base can be filled with sand or water
- With spring technology for stability even in „stormy“ weather
- Can be moved around on wheels built in to the base
- Doublesided
- Silver anodised frame and grey plastic base
- Assembled by screwing the frame to the plastic base
- Panel available on request
- Custom printed panels can be supplied for orders of 1+ pieces

When using a poster outdoors we cannot guarantee the stability of the insert

Version: 2-sided; Insert size: A1 (594 x 841 mm); Orientation: portrait; Insert: on short side; Frame material: steel; Frame colour: black; Material of base: plastic; Colour of base: grey

51.0188.1



On request we can also supply panels to display your promotional offer. This can also be printed in our in-house print workshop.

1. Pictured with bespoke accessory PVC foam panel.
2. Pictures with A1 slate effect board (53.0018.1 - protect from direct sunlight).

Current prices can be found on our website.

Windsign Display „Shape“

- With white aluminium composite panel
- Can be customised with contour cutting or print for orders of 1+ pieces
- Plastic base can be filled with sand or water
- With spring technology for stability even in „stormy“ weather
- Can be moved around on wheels built in to the base
- Doublesided
- Assembled by screwing the top section to the plastic base

Version: 2-sided;
Panel width: 680 mm;
Panel height: 1100 mm;
Frame material: steel;
Colour of frame: black;
Material of base: plastic;
Colour of base: grey;
Total height: 1400 mm

51.0098.1

1. *Example of use: Customised version including cutting to shape, digital print and slate effect print.*



①

Customisation available through cutting to shape or printing the panel in our in-house production facility.

Other formats can be found at www.vkf-renzel.com!

Bespoke Pavement Signs

4

Pavement Signs / Floorstanding Poster Stands for Outdoor Use



Swinging Poster Stand „Trio“, 30 mm profile, with mitred corners, silver anodised

- With 3 doublesided snap frames
- With swing attachment, sways back and forth in the wind
- Incl. white, unprinted panel
- Mitred corners
- Weather resistant polystyrene back panel and anti-reflective, UV-stabilised cover sheets
- Silver anodised frames and framework
- Custom printing of header board available for 1+ pieces
- Custom sizes available for 1+ pieces
- Available with waterproof poster pockets for 1+ pieces

Insert size: 3x A3 (297 x 420 mm);

Orientation: landscape;


Width of header board: 525 mm;

Height of header board: approx. 150 mm;

Total height: approx. 1400 mm

50.0062.4

Other pavement signs with header board can be found on our website.



Current prices can be found on our website.

Foldable A-Board „Plate“

- Verstaile thanks to folding construction
- Collapsible without tools
- For panels up to 5 mm thick
- Panels available as an accessory
- Custom printed panels can be supplied for 1+ pieces
- RAL colours for 20+ pieces

Version: 2-sided; Material: aluminium;
Colour: silver anodised;
For panel size: A1 (594 x 841 mm);
Insert thickness: max. 5 mm

50.0272.1


1. *Folded down.*
2. *Pictured incl. accessories:
Slate Effect Board Set 50.0071.1.*
3. *Pictured incl. accessories:
Panel Set 50.0071.3.*



Board Set for A-Board „Plate“

Material: PVC foam panel;
Size: A1 (594 x 841 mm); Colour: white
50.0071.3

1. *Example of use*



Other formats can be found at www.vkf-renzel.com!

Examples of Bespoke Production „Displays for Outdoor Use“



Pavement Sign „Topic“

Completely black powdercoated;
With 2 waterproof snap frame in A1;
2 exchangeable header board panels
in aluminium composite; silver;
642 x 150 mm and 2 water resistant
leaflet dispensers „Nil“ A4

Minimum order quantity: 20 pieces

50.0061.29



Poster Stand

With waterproof snap frame 391 x 320 mm
and printed polystyrene panel

Minimum order quantity: 20 pieces

50.0053.52

Current prices can be found on our website.

Poster Stand

A1; With 2 side holders
for e.g. flower buckets

Minimum order quantity: 20 pieces

50.0055.60



Poster Stand

A1; With a decorative base
with tray for e.g. flowers

Minimum order quantity: 20 pieces

50.0053.60



Other formats can be found at www.vkf-renzel.com!

Pavement Signs / Floorstanding Poster Stand for Outdoor Use

For orders of 20+ we can manufacture floorstanding stands in the following profiles

4

Pavement Signs / Floorstanding Poster Stand for Outdoor Use



20 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A6
- Maximum frame size: 1000 x 1400 mm



38 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A4
- Maximum frame size: 1400 x 2000 mm



42 mm Safety Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A2
- Maximum frame size: 1350 x 2500 mm



45 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm



70 mm Profile

- Material: aluminium
- Mitred corners
- Silver anodised or RAL powdercoated
- Minimum frame size: A2
- Maximum frame size: 2000 x 3000 mm

Current prices can be found on our website.

Accessories



5

For Snap Frames



Hanger

- Easy to fit
- Clip on the reverse between the aluminium lower profile and back panel
- Not for use with 15 mm profiles and display frames with 14 mm profile

Material: galvanised steel sheet;
Colour: silver


50.0110.10



Hanging Set

- 2 steel cables, \varnothing 1.5 mm, Length 1500 mm, with loop on one end
- 2 hanging hooks with knurled screw for adjustment
- Load capacity per set up to 5 kg

50.0041.1



Current prices can be found on our website.

For Pavement Signs


Header Board Holder

- For A1 aluminium A-boards
- Assembled by clipping between the two hinges

Material: wire; Surface: galvanised

50.0067.1

Not suitable for use with waterproof pavement signs or Pavement Sign WindSign.



Header Sign

- For A1 A-boards
- The header board holder 50.0067.1 is required for fitting
- Fitted by sliding in to the top of the holder
- Custom printing available for 1+ pieces

Material: PVC foam panel; Colour: white;
Width of visible area: 640 mm;
Height of visible area: 300 mm

50.0068.86

Print method: digital print


50.0068.12

Not suitable for use with waterproof pavement signs or Pavement Sign WindSign.

1. With digital print (50.0068.12)



Other formats can be found at www.vkf-renzel.com!



Wire Hanging Basket

- For classic A-boards
- To hang on the hinge at the side of the poster stand
- Fill depth 55 mm

Material: wire; Orientation: portrait

Dispenser size: A4 (210 x 297 mm)

50.0069.1

Dispenser size: A5 (148 x 210 mm)

50.0069.3

Dispenser size: 1/3 A4 (105 x 210 mm)

50.0069.2

Not for use with Poster Stand WindSign.

1. Left: 50.0069.2, centre:
50.0069.3, right: 50.0069.1



Slate-Effect Board Set

- For A1 pavement signs
- 2 slate effect boards in black
- 3 Illumigraphs, 15 mm nib width, in white, red and green
- The ink can be wiped away with a damp cloth

50.0071.1

Protect from direct sunlight.

Current prices can be found on our website.

Waterproof Poster Pocket „Guard“

- To retrofit to non-waterproof snap frames / pavement signs
- Outer size exactly A1
- Easy exchange of posters with 2 different materials (rigid/soft PVC)



Size: A1 (594 x 841 mm);

Application: for poster stands and click frames

50.0191.3

Not for use with our waterproof poster stands.

1. Example of use



Protective Cover for A1 Pavement Sign

For A1 portrait format poster stands;

Outer material: film, silver;

Inner material: bubble wrap;


Width: 800 mm; Height: 1255 mm

50.0070.1



Other formats can be found at www.vkf-renzel.com!

For Poster Clamp Rails




„MagFix“ The Magnetic Hanging System

- Easy to hang promotional media
- No further equipment required, e.g. no ladder needed
- For use with all ceilings with a metal component (e.g. suspended ceilings)
- Promotional media are attached to the rail using the hooks before mounting the system
- Magnetic fixing of the complete system with the aid of the telescopic rod 50.0227.9 (available as an accessory)
- Delivery incl. hooks in 3 different lengths

Material: plastic; Colour: white / transparent;
Length of magnetic rail: 300 mm;
Hook length: 2x 50 mm, 2x 300 mm, 2x 500 mm; Fixing: with 2 magnets
50.0267.1

1. Example of use
2. Clip the magnetic rail to the ceiling.
3. Pull the rod away to the side - the holder detaches itself from the rail.



Telescopic / Extendable Pole for „MagFix“ The Magnetic Hanging System

Material: aluminium; Colour: silver;
Length: 820-2300 mm
50.0227.9



Current prices can be found on our website.

Hanging Set

- 2 steel cables, \varnothing 1.5 mm, Length 1500 mm, with loop on one end
- 2 hanging hooks with knurled screw for adjustment
- Load capacity per set up to 5 kg

50.0041.1




Ceiling Hanger

Cord thickness: 1.2 mm;
Surface: nickel plated;
Length: 1000 mm;
Load capacity: 40kg;
Features: incl. hook
For suspended ceilings

80.0932.1



Other formats can be found at www.vkf-renzel.com!



Hanging Set for Suspended Ceilings

Material: stainless steel;
Cord thickness: 1.2 mm; Length: 1000 mm;
Version: with suspended ceiling hook 24.0213.13; Ready to use hanging set:
One end has a suspended ceiling clip and eyelett; The other end has a type 12 hook and threaded hook

Load capacity: up to 35 kg
84.0073.1



Eyelet Clip for Cable 1.2 mm incl. Cable

Material: aluminium;
Cable length: 2000 mm;
Cable diameter: 1.2 mm;
Version: with hook, open;
Load capacity: approx. 10 kg
80.0895.1



Current prices can be found on our website.

Other Items



6



Clipboard „Magneto“

- Scratch and dirt resistant powdercoated surface
- Also suitable for more demanding environments e.g. outdoor use
- Easy to clean board
- 2 magnets and euroholes on the reverse
- Media is attached in a 110 mm wide silver anodised aluminium clamp attachment
- For A4 portrait

Material: metal / aluminium / plastic;
Colour: grey / silver; Insert size: A4
(210 x 297 mm); Orientation: portrait
50.0240.1



Metal Fixing for Clipboard „Magneto“

- Powdercoated and metal strips on the reverse fitted with doublesided adhesive tape
- To attach the Clipboard „Magneto“ to non-metallic surfaces
- No drilling required

Material: metal; Colour: grey; Height: 35 mm

Designed for: 2 Clipboards „Magneto“;
Length: 470 mm

50.0241.1

Designed for: 3 Clipboards „Magneto“;
Length: 700 mm

50.0241.2



Current prices can be found on our website.

„Gondola Flag“ U-Shaped Insert Frame

- Ideal for identification on metal shelving
- Secure fixing with 2 magnets ø 50 mm
- Insert for signs and boards up to 5 mm thick (not included)
- Manufactured in custom sizes for orders of 20+
- RAL colours for 20+ pieces
- Board in foamed PVC unprinted or digitally printed for 1+ pieces

Frame material: aluminium;
Frame colour: silver anodised;
Inner frame size: 700 x 120 mm (W x H);
Fixing: 2 silver magnets ø 50 mm; Designed for: signs and boards up to 5 mm thick

50.0268.1

1. Pictured with accessories:
board in PVC foam 700 x 150 mm



Example of bespoke production of a gondola shelf header board

To insert 4 doublesided posters
in A3 portrait format

50.0305.1



Other formats can be found at www.vkf-renzel.com!



Checkout Divider „Silver“

- Silver anodised aluminium
- Overlapping end caps to protect the profile
- Direct from the manufacturer
- Available unprinted only

Material: aluminium / plastic;
Profile type: square 25 x 25 mm;
Total length: 310 mm

Endcap: black, overlapping

51.0066.59

Endcap: grey, overlapping

51.0066.60

Also available in custom sizes for orders of just 1 piece through our in-house production!



Checkout Divider „Silver Wato“

- Fixing technology for promotional media built in to the end caps
- Tool free exchange of media in seconds
- For materials up to 1 mm thick
- Silver anodised aluminium
- Overlapping end cap to protect the profile
- U-pockets available as an accessory
- Printed PVC cut blanks available on request
- Direct from the manufacturer
- Only available unprinted

Material: aluminium / plastic;
Profile type: square 25 x 25 mm;
Insert width: 297 mm; Total length: 310 mm

Endcap: black, overlapping

50.0232.1

Endcap: grey, overlapping

50.0232.2

Also available in special lengths for orders of just 1 piece through our in-house production.


1. Promotional media can be exchanged by sliding out and reinserting.

2. To change the insert please do not remove the end caps.

3. Pictured with accessories: slot-in sign with insert for cards



①



②



③

Patent protected!

Current prices can be found on our website.

U-Pocket for Checkout Divider „Silver Wato“

- To slot in to checkout shopping divider „Silver Wato“
- Quick and easy to display printed paper promotions
- Quick and easy to exchange promotions
- Exchange without tools

Material: rigid PVC;

Material thickness: 0.5 mm;

Colour: anti-reflective;

Insert size: 297 x 64 mm;

Orientation: landscape

26.0035.498

Manufactured from UV-stabilised PVC.

1. U-pocket inserted in to checkout shopping divider „Silver Wato“.



Other formats can be found at www.vkf-renzel.com!



Checkout Shopping Divider „Square“

- New look with rounded corners
- Silver anodised aluminium
- Black overlapping end caps to protect the profile
- Customised digital print available on request
- RAL colours for 10+
- Direct from the manufacturer
- Bespoke lengths available for 1+ pieces in our in-house production

Material: aluminium / plastic;
Profile type: square, 30 x 30 mm;
Total length: 310 mm

50.0284.2



1. Inset area protects the optional digital print from wear.
2. Rounded corners for better durability of the optional powder coating.



Checkout Shopping Divider „Square Wato“


- Fixing technology for promotional media built in to the end caps
- Tool free exchange of media in seconds
- For materials up to 1 mm thick
- Silver anodised aluminium
- Customised digital print available
- Overlapping end cap to protect the profile
- U-pockets available as an accessory
- Printed PVC cut blanks available on request
- Direct from the manufacturer
- Bespoke lengths available for 1+

Material: aluminium / plastic;
Profile type: square, 30 x 30 mm;
Insert width: 297 mm;
Total length: 310 mm;
Endcap: black, overlapping

50.0288.1



1. Inset area protects the optional digital print from wear.
2. Rounded corners for better durability of the optional powder coating.
3. Promotional media can be exchanged by sliding out and reinserting.
4. To change the insert please do not remove the end caps.



Patent protected!

Current prices can be found on our website.

U-Pocket for Checkout Divider „Square Wato“

- To slot in to checkout shopping divider „Square Wato“
- Quick and easy to display printed paper promotions
- Quick and easy to exchange promotions
- Exchange without tools

Material: rigid PVC;

Material thickness: 0.5 mm;

Colour: anti-reflective;

Insert size: 297 x 70 mm;

Orientation: landscape

26.0035.765

1. U-pocket inserted in to checkout shopping divider „Square Wato“



Other formats can be found at www.vkf-renzel.com!



Checkout Shopping Divider „Delta“

- New look with rounded corners
- Silver anodised aluminium
- Black overlapping end caps to protect the profile
- Customised digital print available on request
- RAL colours for 10+
- Direct from the manufacturer
- Bespoke lengths available for 1+ pieces in our in-house production

Material: aluminium / plastic;
Profile type: triangular, 40 x 40 x 40 mm;
Total length: 310 mm
50.0280.7



1. Inset area protects the optional digital print from wear.
2. Rounded corners for better durability of the optional powder coating.



Checkout Shopping Divider „Delta Wato“

- Fixing technology for promotional media built in to the end caps
- Tool free exchange of media in seconds
- For materials up to 1 mm thick
- Silver anodised aluminium
- Customised digital print available
- Overlapping end cap to protect the profile
- U-pockets available as an accessory
- Printed PVC cut blanks available on request
- Direct from the manufacturer
- Bespoke lengths available for 1+

Material: aluminium / plastic;
Profile type: triangular, 40 x 40 x 40 mm;
Insert width: 297 mm;
Total length: 310 mm;
Endcap: black, overlapping
50.0291.1



1. Inset area protects the optional digital print from wear.
2. Rounded corners for better durability of the optional powder coating.
3. To change the insert please do not remove the end caps.
4. Promotional media can be exchanged by sliding out and reinserting.

Patent protected!

Current prices can be found on our website.

U-Pocket for Checkout Divider „Delta Wato“

- To slot in to checkout shopping divider „Delta Wato“
- Quick and easy to display printed paper promotions
- Quick and easy exchange of promotions
- No tools required for exchange

Material: rigid PVC;

Material thickness: 0.5 mm;

Colour: anti-reflective;

Insert size: 297 x 90 mm;

Orientation: landscape

26.0035.724

1. *U-pocket inserted in to checkout shopping divider „Delta Wato“*



Other formats can be found at www.vkf-renzel.com!



Stacking Basket Display „Sculler“

- For use with 20 l shopping baskets
- For A3 landscape postersQuerformat
- Contour cut, silver aluminium composite panel
- Silver anodised snap frame with 25 mm profile
- Strong, silver powdercoated metal base
- Custom finishes for 20 pieces
- Other colours for 20 pieces
- Matching baskets can be found in our webshop

Width: 500 mm; Height: 1300 mm; Depth: 420 mm

50.0253.1

Also available on request with special finishes and with print.

Current prices can be found on our website.

Bespoke Production



Examples of Bespoke Production

7



Table-Top L-Display

Insert frame in silver anodised aluminium with writeable area; Insert size: A3 portrait




Table-Top Leaflet Stand

In RAL powdercoated metal, with 2 holders for leaflets in 1/3 A4 format

Current prices can be found on our website.

Aluminium Frame

With rotating insert pocket;
Pocket size: A5



7

Door Sign

Made from aluminium silver anodised
on both sides with a 1 colour print,
incl. 4 suction cups




Other formats can be found at www.vkf-renzel.com!



Tyre Display Version 1

Collapsible



Tyre Display Version 2

Current prices can be found on our website.

The online shop for sales promotion

Search assistant

Using the search assistant you can find your required product quickly and easily with the product name or article number.

Shop using the catalogue

Direct ordering using article numbers.



Shop online
24 hours a day, 7 days a week

www.vkf-renzel.com

All prices exclusive of packing & shipping costs and VAT.
Our current T&Cs can be found at www.vkf-renzel.com/content/cos

www.vkf-renzel.com