



## PEGBBOARD AND SHELVING SYSTEMS / ACCESSORIES



# VKF Renzel

VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180  
 Fax: +49 (0) 28 74 / 910-111 • [www.vkf-renzel.com](http://www.vkf-renzel.com) • [sales@vkf-renzel.com](mailto:sales@vkf-renzel.com)

**1**

## **Pegboard Displays**

- Counter Displays
- Floorstanding Displays

**Page 3 - 6**

**2**

## **Shelving Systems**

- Systems with Pegboard Panels
- Systems without Pegboard Panels

**Page 7 - 9**

**3**

## **Accessories**

**Page 10 - 14**

**4**

## **Customised Solutions**

**Page 15**

### Table-Top Pegboard Display "Variant"

Consisting of base and perforated panel (slot together / screw together); Material: metal, powder coated; Colour: silver (similar to RAL 9006); Size: 350 x 600 x 230 mm (W x H x D); Hole spacing: 15 + 25 mm

58.0129.1

The display is ideal for wall-mounting when used without the foot.




Also available in special sizes.

### Pegboard Display "Easy"

Can be used on both sides;

Material: metal; Surface: power coated (textured); Colour: silver similar to RAL 9006; Width: 300 mm; Height: 600 mm; Depth: 230 mm; Hole pattern: single row, 15 mm hole spacing

58.0026.1



Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



### Counter Frame for Display System "Multi"

Rotating;

Material: metal;  
Surface: powder coated; Colour: silver similar to RAL 9006; Width: 255 mm;  
Total height (assembled): 625 mm;  
Base diameter: 255 mm; Features: with header board attachment for 3.5 mm thick sign; Features: incl. fixings

**Card ladder / pegboard panel not included.**

Shape: 2-sided

57.0233.4

Shape: 3-sided

57.0233.5

Shape: 4-sided

57.0233.6



1

### Card Ladder for Display System "Multi"

Material: metal;  
Surface: powder coated;  
Colour: silver similar to RAL 9006;  
Orientation: portrait;  
Fill depth: approx. 30 mm;  
Width: 245 mm; Height: 525 mm

Number of dispensers: 2;

Size: A4

57.0235.4

Number of dispensers: 3;

Size: A5

57.0235.5

Number of dispensers: 8;

Size: A6 / 1/3 A4

57.0235.6



2




3

### Pegboard Component for Display System "Multi"

Material: metal sheet;  
Surface: powder coated;  
Colour: silver similar to RAL 9006;  
Width: 245 mm; Height: 525 mm;  
Hole pattern: eurohole;  
Application: for counter display

57.0234.2

1. Example of use with card ladder.
2. Example of use with card ladder.
3. Example of use with pegboard panel.
4. Example of configuration.



4

- Create your own combination.
- Special finishes and header board available on request



**New**



## Rotating Column, 4-sided

Material: metal; Surface: powder coated;  
Colour: black similar to RAL 9005 (matt); Width: 307 mm;  
Height: 1775 mm; Depth: 307 mm; Base diameter: 470 mm;  
Features: with 5 rubber feet; Hole spacing: 15 mm

59.1552.2



## Mobile Pegboard Display with Sign Holder

With holder for signs up to 485 mm wide and 3 mm thick;

Material: metal; Surface: powder coated;  
Colour: silver similar to RAL 9006; Width: 525 mm; Height: 1440 mm;  
Depth: 500 mm; Useable area: 500 x 1200 mm (W x H);  
Features: on 4 castors; Hole spacing: 15 mm



58.0104.1

Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



### Freestanding Pegboard Display "Variant"

Consisting of base and perforated panel (slot together / screw together); Material: metal, powder coated; Colour: silver (similar to RAL 9006); Size: 600 x 1600 x 450 mm (W x H x D); Hole spacing: 15 + 25 mm



58.0129.2

The display is ideal for wall-mounting when used without the foot.

Also available in special sizes.



### Shelf for Pegboard "Variant"

Width: 595 mm; Height: 145 mm; Fill height: 40 mm; Material: metal sheet; Surface: powder coated; Colour: silver similar to RAL 9006

Depth: 255 mm

59.1246.1

Depth: 355 mm

59.1246.2



### Pegboard System "Eden"

Material: metal; Surface: powder coated;  
Colour: silver similar to RAL 9006; Height: 2180 mm; Depth: 630 mm;  
Number of shelves: 2; Shelf depth: 1x 470 mm, 1x 570 mm;  
Number of back panels: 4x perforated, 1x unperforated

Width: 1030 mm

**57.0195.5**



Width: 1280 mm

**57.0195.6**



Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).





### FlexiSlot® Quattro "Rack-Line"

An easy to assemble shelving system consisting of plastic FlexiSlot slatwall "Quattro" panels with a sturdy frame made from silver anodised aluminium "Quattro" profile. Base with 4 castors (ø 75 mm) and a white wooden panel attached. Other available FlexiSlot colours are: ivory, grey, red, black, yellow, stone effect or wood effect. Several Rackline units can be combined by joining the Quattro profiles, allowing further extension with our range of Quattro accessories.

FlexiSlot colour: white similar to RAL 9010; Width: 1000 mm; Useable FlexiSlot width: 900 mm; Height: 1800 mm

Depth: 400 mm; Features: wall-mounted

51.0152.6



Depth: 500 mm; Features: freestanding

51.0152.7



Create your own shop! Other articles and visualisations can be found on our website.

It is also possible to fit both sides of the components with FlexiSlot profile or to print on the back.

1. Version for freestanding use.





## FlexiSlot® Tile for Hanging in Shelving Systems

Plastic FlexiSlot component with silver anodised aluminium frame to hang in "Tego" shelving systems. Suitable for 1000 mm column spacing.

Width (outer): 968 mm; Height (outer): 1198 mm

FlexiSlot colour: ivory similar to RAL 1015

**51.0055.36**

FlexiSlot colour: red similar to RAL 3004

**51.0055.35**

FlexiSlot colour: grey similar to RAL 7004

**51.0055.33**

FlexiSlot colour: white similar to RAL 9010

**51.0055.37**

FlexiSlot colour: black similar to RAL 9004

**51.0055.34**

FlexiSlot colour: dark wood effect

**51.0055.38**

FlexiSlot colour: stone effect


**51.0055.39**

FlexiSlot colour: yellow similar to RAL 1018

**51.0055.40**

FlexiSlot tiles for hanging on shelving systems are available in different sizes. Ask us for a quote.

Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



### Pegboard Single Hook

With wire bridge;

Wire thickness: 4 mm; Surface: galvanised

Length: 100 mm; Hole spacing: 15 mm

**58.0010.1**

Length: 100 mm; Hole spacing: 25 mm

**58.0010.2**

Length: 150 mm; Hole spacing: 15 mm

**58.0010.3**

Length: 150 mm; Hole spacing: 25 mm

**58.0010.4**

Length: 200 mm; Hole spacing: 15 mm

**58.0010.5**

Length: 200 mm; Hole spacing: 25 mm

**58.0010.6**



### Pegboard Double Hook

With locking device, price holder above and "DRA" swinging pocket;

Wire thickness: 4.8 mm; Surface: galvanised; Price holder: above & at the front; Swinging pocket: 90 x 39 mm (W x H), transparent

Length: 200 mm; Hole spacing: 15 mm

**58.0006.1**

Length: 200 mm; Hole spacing: 25 mm

**58.0006.2**

Length: 300 mm; Hole spacing: 15 mm

**58.0006.5**

Length: 300 mm; Hole spacing: 25 mm

**58.0006.6**



### Pegboard Double Hook

Without wire bridge;

Surface: galvanised; Hole spacing: 15 & 25 mm

Wire thickness: 2.5 mm; Length: 100 mm

**58.0001.2**

Wire thickness: 3.4 mm; Length: 160 mm

**58.0001.5**

Wire thickness: 3.4 mm; Length: 200 mm

**58.0001.6**



## Hook Lock "Faby"

To secure double hooks;

Material: plastic; Features: includes key

Colour: white

58.0363.1

Colour: transparent

58.0363.2

Custom colours available for 10,000+ pieces.



## Plastic Pegboard Hook Lock

To secure double hooks;

Material: plastic; Features: includes key

Colour: blue

58.0050.1

Colour: black


58.0050.2

Colour: white

58.0050.3

Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).






### Swinging Price Tag

For pegboard hooks in 4.8 mm thick wire;

Material: stainless steel; Surface: blank; Sign size: 27 x 40 mm

58.0059.4



### Swinging Clip for Pegboard Hooks

Width: 26 mm; Height: 42 mm; Colour: white;

Wire thickness: 4.8 mm

24.0106.2




### Shelf Barker for Crossbar

Material: metal; Surface: galvanised;

Extended length: 575 - 1000 mm;

Features: 2 plastic hooks, 1 fixing screw, 1 stopper

58.0086.4



### Display Hemisphere "Agrotis"

For use with pegboard displays, 2 parts, consists of hemisphere and wire holder

Diameter: 200 mm

65.0092.1

Diameter: 300 mm

65.0092.2

## Perforated Rail in 50x20 mm Rectangular Tubing

Material: metal; Surface: powder coated;  
Colour: silver similar to RAL 9006

Width: 1000 mm

58.0282.1

Width: 1250 mm

58.0282.2

1. Example of rail with clip-on double hook.



## Clip-on Single Hook for 20 mm Rails

Wire thickness: 7 mm; Surface: galvanised

Length: 200 mm

58.0281.1

Length: 250 mm

58.0281.2

Length: 300 mm

58.0281.3



## Clip-on Double Hook for 20 mm Rails

Wire thickness: 4.8 mm; Surface: galvanised

Length: 200 mm


58.0280.1

Length: 300 mm

58.0280.2

Length: 400 mm

58.0280.3



Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



### Slatwall Single Hook

Wire thickness: 4.8 mm; Surface: galvanised

Length: 100 mm

**58.0016.1**

Length: 150 mm

**58.0016.2**

Length: 200 mm

**58.0016.3**

Length: 250 mm

**58.0016.4**

Length: 300 mm

**58.0016.5**

Chrome finish available on request.



### Slatwall Double Hook

Wire thickness: 4.8 mm; Surface: galvanised

Length: 100 mm

**58.0017.1**

Length: 150 mm

**58.0017.2**

Length: 200 mm

**58.0017.3**

Length: 250 mm

**58.0017.4**

Length: 300 mm

**58.0017.5**

Chrome finish available on request.



## Customised solutions available!


In our metal production we process system solutions for displaying products and information. As well as a wide range of standard items we also offer bespoke development and design according to customer requirements always taking in to account the need for a superior, technical and quality product.

### Materials:


- ✓ Wire
- ✓ Sheet

### Processes:

- ✓ Lasering
- ✓ Embossing
- ✓ Welding
- ✓ Nibbling
- ✓ Folding
- ✓ Extruding
- ✓ Cutting
- ✓ Powdercoating
- ✓ Galvanising
- ✓ Chrome plating
- ✓ Anodising



Other finishes can be found at [www.vkf-renzel.com](http://www.vkf-renzel.com).



[www.vkf-renzel.com](http://www.vkf-renzel.com)