

SHELF OPTIMISATION




VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180 Fax: +49 (0) 28 74 / 910-111 • www.vkf-renzel.com • sales@vkf-renzel.com

6

5

8



VKF Renzel at a glance

- Founded 1985 in Germany590 Employees
- 19 Subsidiaries
- 5 Partners and Distributors

- Metal & Aluminium Processing
 PVC & Acrylic Processing
 Injection Moulding
 Extrusion
 Digital Printing
 Silk Screen & Pad Printing
 Product Development
 Vacuum Forming
 Custom Solutions

- KindergartenEco-friendliness/SustainabilityCode of ConductHealth Protection



Main Hub Germany



+49 (0) 28 74 / 910-180



+49 (0) 28 74 / 910-111



sales@vkf-renzel.com



www www.vkf-renzel.com



Fixing Rails for Front Fixing without Pricing
Fixing Rails for Front Fixing with Pricing
Fixing Rails for Rear Fixing
Divider Range MP
Divider Range SR
Divider Range KD
Divider Range MR
Stock Pushers
Accessories

Shelf Divider for Tegometal Shelves

Injection Moulding

With injection moulding, dividers can be mass produced and used straight away.

The moulding material is injected into the tool by an injection moulding machine.

The hollow in the tool defines the shape and surface structure of the finished divider.

It is possible to manufacture products from only a fraction of a gram up to several kilograms in weight. From our many years of experience, we have lots of tools available.



Extrusion

At present we hold over 250 different types of scanner profile in stock. Make the most of our experience.

Our profiles can make your profile stand out at the point of sale.

Materials:

- PVC
- PET
- Polycarbonat (PC)
- TPE
- PLA
- Wood
- $\bullet \ Fibreglass$

Processes:

- Mono-extrusion
- Co-extrusion
- Tri-extrusion
- Quad-extrusion







6 Fixing Rails for Front Fixing without Pricing





Divider Profile PEK

Anchor profile for dividers, without scanner profile

Length: 1000 mm; Width: 13 mm

Colour: transparent;

Adhesive: standard adhesive 12 mm

22.0012.33

Colour: transparent;

Magnet: 10 mm magnetic tape

22.0012.141

Colour: white;

Adhesive: standard adhesive 12 mm

22.0012.1

Colour: white;

Magnet: 10 mm magnetic tape

22.0012.54





Divider Profile "PEK 30"

Anchor profile for dividers, without scanner profile

Length: 1000 mm

Colour: transparent; Width: 36 mm; Adhesive: textile adhesive 19 mm

22.0013.8

Colour: white; Width: 36 mm; Adhesive: textile adhesive 19 mm

22.0013.14

Colour: transparent; Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.24

Colour: white; Magnet: 20 mm magnetic

tape, applied under T-profile

22.0013.88


Fixing Rails for Front Fixing without Pricing

Divider Profile PES

Ridged profile for metal lipped shelves and shelf dividers. Colour: transparent

Length: 990 mm

22.0011.3






Divider Profile "PEK 30" with Cut-outs

Anchor profile for dividing wire shelves, with oval cutouts and ridge, without scanner profile. Width: 30 mm

Length: 1000 mm

22.0096.9





Shelf Riser "Perfekta"

For product advertising on the shelf, with ridge for dividers, Size: 40 x 40 mm (W x H)

Length: 1000 mm; Material thickness: 1.2 mm

Colour: transparent;

Adhesive: textile adhesive 19 mm

22.0014.15

Colour: transparent; Magnet: 20 mm magnetic tape, applied under T-profile

22.0014.30

Colour: white;

Adhesive: textile adhesive 19 mm

22.0014.66

Colour: white; Magnet: 20 mm magnetic tape, applied under T-profile

22.0014.51

We can print your logo on all promotional risers. Please ask for further information.





8 Fixing Rails for Front Fixing without Pricing





Promotional Shelf Riser for Wire Shelves

With oval cutouts and ridge, Size: 57 x 40 mm (W x H)

Colour: transparent; Length: 1000 mm

22.0015.2





Clips for Promotional Risers and Divider Rails with Cutouts

Material: polycarbonate; Colour: crystal clear; Wire thickness: 2.8 - 3.2 mm

22.0034.1





10 Fixing Rails for Front Fixing with Pricing





Scanner Profile "HEP 30/WLP"

For 30 mm high tickets, with ridge for dividers, self-adhesive for all metal, wooden and glass shelves, with hinge function

Colour: transparent; Length: 1000 mm; Adhesive: textile adhesive 19 mm

22.0262.16





Scanner Profile "DBR/MP 26"

With adapter channel, for 26 mm high tickets, with adhesive tape and dust cover, with ridge for dividers

Colour: transparent; Length: 1000 mm; Adhesive: clear adhesive 19 mm

20.0974.4





Scanner Profile "DBR/MSP 26"

Hinged, with adapter channel, for 26 m high tickets, with adhesive tape, reading angle and dust cover, with ridge for dividers

Colour: transparent; Length: 1000 mm; Adhesive: clear adhesive 19 mm

20.1044.9

Scanner Profile "HEP"

with ridge for dividers, self-adhesive for all metal, wooden and glass shelves

Length: 1000 mm;

Adhesive: textile adhesive 19 mm

Insert height: 26 mm; Colour: transparent **22.0004.49**

Insert height: 26 mm; Colour: white **22.0004.135**

Insert height: 39 mm; Colour: transparent **22.0006.41**

Insert height: 39 mm; Colour: white

22.0006.178






Scanner Profile "WWT/MP 26"

With adapter channel, for 26 mm high tickets, for Wanzl and Wire-Tec wire shelves with two horizontal wires, with ridge for dividers

Colour: transparent; Length: 1000 mm

20.0975.5





Scanner Profile "WWT/MSP 26"

Hinged, with adapter channel, for 26 mm high tickets, for Wanzl and Wire-Tec wire shelves with two horizontal wires, with ridge for dividers

Colour: transparent; Length: 1000 mm

20.1042.16





Scanner Profile "GLS/MP 26"

With adapter channel, for 26 mm high tickets, for 5-10 mm thick glass and wooden shelves, with ridge for dividers

Colour: transparent; Length: 1000 mm


20.0976.4





Other formats can be found at www.vkf-renzel.com!

Fixing Rails for Front Fixing with Pricing






Scanner Profile "GLS/MSP 26"

Hinged, with adapter channel, for 26 mm high tickets, for 5-10 mm thick glass and wooden shelves, with ridge for dividers

Colour: transparent; Length: 1000 mm

20.1043.4





Scanner Profile "GLS 39/ WLP"

With ridge for dividers, fo 5-10 mm thick glass and wooden shelves, with hinge

Insert height: 39 mm; Length: 1000 mm

22.0263.7





Scanner Profile "AL/ WLP"

With ridge for dividers, for Linde, Storebest, Alpos and Tegometal shelves, with hinge

Insert height: 30 mm; Colour: white;

Length: 985 mm

22.0265.3

Insert height: 39 mm; Colour: white

(HI3898AC); Length: 990 mm

22.0264.3





Scanner Profile RUP 20

Holds 20 mm high ticket, with ridge for dividers. Self-adhesive for use with all metal, wood and glass shelving

Length: 1000 mm; Adhesive: standard adhesive 12 mm

Colour: transparent


22.0010.7

Colour: white

22.0010.11

Current prices can be found on our website.





For Divider Ranges SR, KD, MR





Divider Profile "PEK 30"

Anchor profile for dividers, without scanner profile

Length: 1000 mm

Colour: transparent; Width: 36 mm; Adhesive: textile adhesive 19 mm

22.0013.8

Colour: white; Width: 36 mm; Adhesive: textile adhesive 19 mm

22.0013.14

Colour: transparent; Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.24

Colour: white; Magnet: 20 mm magnetic

tape, applied under T-profile

22.0013.88





Divider Profile PEK

Anchor profile for dividers, without scanner profile

Length: 1000 mm; Width: 13 mm

Colour: transparent;

Adhesive: standard adhesive 12 mm

22.0012.33

Colour: transparent; Magnet: 10 mm

magnetic tape

22.0012.141

Colour: white;

Adhesive: standard adhesive 12 mm

22.0012.1

Colour: white;

Magnet: 10 mm magnetic tape

22.0012.54

For Divider Range MP

Divider Profile "PEK 25"

Anchor profile for dividers, without scanner profiles, incl. clip for attaching dividers from the "MP" series;

Length: 1000 mm; Width: 25 mm; Adhesive: clear adhesive 19 mm

Colour: grey 22.0144.35

Colour: transparent

22.0144.31





Divider Profile "PEK 45"

Anchor profile for dividers, without scanner profile, incl. attachment for clipping on dividers from the "MP" series

Colour: transparent; Length: 1000 mm;


Width: 45 mm;

Adhesive: textile adhesive 19 mm

22.0180.1









Divider Profile "PEK 45" with Cut-outs

Anchor profile for dividing wire shelves, with oval cutouts and attachment to clip in Divider Series "MP"

Colour: transparent; Length: 1000 mm; Width: 45 mm; Cutout: with oval cutouts

22,0172,8





Clips for Promotional Risers and Divider Rails with Cutouts

Material: polycarbonate; Colour: crystal clear; Wire thickness: 2.8 - 3.2 mm

22.0034.1

Divider Range MP


- PET material
- Available with and without break points
- Simplified assembly of rear foot





Without break points





Shelf Divider

Without stopper, with clip at back; Height: 60 mm; Material: PET;

Colour: transparent

Length: 335 mm

22.0152.7 Length: 385 mm 22.0152.9

Length: 400 mm


22.0152.10 Length: 435 mm 22.0152.12

Length: 485 mm **22.0152.14**

Length: 500 mm **22.0152.15**

Length: 585 mm **22.0152.19**





Shelf Divider

Without stopper, with clip at back; Height: 120 mm; Material: PET;

Colour: transparent

Length: 435 mm 22.0159.12 Length: 485 mm

22.0159.14

With left hand stopper and clip at back; Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 400 mm 22.0156.1

Length: 435 mm

22.0156.2






Shelf Divider

With central stopper and clip at back; Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 400 mm

22.0157.1

Length: 435 mm 22.0157.2






Shelf Divider

With right hand stopper and clip at back; Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 400 mm


22.0158.1

Length: 435 mm 22.0158.2









With left hand stopper and clip at back; Height: 120 mm; Height at front: 120 mm; Material: PET; Colour: transparent

Length: 400 mm 22.0163.10 Length: 500 mm

22.0163.15





Shelf Divider

With central stopper and clip at back; Height: 120 mm; Height at front: 120 mm;

Material: PET; Colour: transparent

Length: 400 mm 22.0164.10 Length: 500 mm 22.0164.15





Shelf Divider

With right hand stopper and clip at back; Height: 120 mm; Height at front: 120 mm; Material: PET; Colour: transparent

Length: 400 mm 22.0165.10 Length: 500 mm 22.0165.15


Without stopper, with rounded front and clip at back;

Height: 200 mm; Material: polycarbonate; Colour: transparent

Length: 335 mm 22.0166.7 Length: 400 mm

22.0166.10 Length: 585 mm

22.0166.19 Length: 635 mm 22.0166.21





Shelf Divider

Without stopper with high front;

Height: 200 mm; Material: polycarbonate;

Colour: transparent

Length: 335 mm

22.0168.7

Length: 400 mm 22.0168.10

Length: 585 mm

22.0168.19


Length: 635 mm

22.0168.21





With break points





Shelf Divider

Without stopper, for different shelf depths, with 8 break points;

Height: 60 mm; Material: PET;

Colour: transparent

Length: 485 mm; Version: break point every

25 mm from 285 mm


22.0195.1

Length: 585 mm; Version: break point every

25 mm from 385 mm

22.0195.2





Shelf Divider

Left section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 30 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 285 mm

22.0199.1

Length: 585 mm; Version:

break point every 25 mm from 385 mm

22.0199.2

Middle section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 30 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:


break point every 25 mm from 285 mm

22.0200.1

Length: 585 mm; Version:

break point every 25 mm from 385 mm

22.0200.2





Shelf Divider

Right section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 30 mm; Material: PET; Colour: transparent


Length: 485 mm; Version:

break point every 25 mm from 285 mm

Length: 585 mm; Version:


break point every 25 mm from 385 mm

22.0201.2









Left section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 285 mm


22.0196.1

Length: 585 mm; Version:

break point every 25 mm from 385 mm

22.0196.2





Shelf Divider

Middle section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 285 mm


22.0197.1

Length: 585 mm; Version:

break point every 25 mm from 385 mm $\,$

22.0197.2





Shelf Divider

Right section. For different shelf depths, with 8 break points;

Height: 60 mm; Height at front: 60 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 285 mm

22.0198.1

Length: 585 mm; Version:

break point every 25 mm from 385 mm

22.0198.2

Without stopper, for different shelf depths, with 7 break points;

Height: 120 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 310 mm

22.0205.1

Length: 560 mm; Version: break point every

25 mm from 385 mm

22.0205.2





Shelf Divider

Left section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 80 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:


break point every 25 mm from 310 mm

22.0206.1

Length: 560 mm; Version:

break point every 25 mm from 385 mm

22.0206.2





Shelf Divider

Middle section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 80 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:


break point every 25 mm from 310 mm

22.0207.1

Length: 560 mm; Version:

break point every 25 mm from 385 mm

22.0207.2





Shelf Divider

Right section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 80 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:


break point every 25 mm from 310 mm

22.0208.1

Length: 560 mm; Version:

break point every 25 mm from 385 mm


22.0208.2





Other formats can be found at www.vkf-renzel.com!





Left section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 120 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 310 mm


22,0209,1

Length: 560 mm; Version:

break point every 25 mm from 385 mm

22.0209.2





Shelf Divider

Middle section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 120 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 310 mm


22.0210.1

Length: 560 mm; Version:

break point every 25 mm from 385 mm

22.0210.2





Shelf Divider

Right section. For different shelf depths, with 7 break points;

Height: 120 mm; Height at front: 120 mm; Material: PET; Colour: transparent

Length: 485 mm; Version:

break point every 25 mm from 310 mm

22.0211.1


Length: 560 mm; Version:

break point every 25 mm from 385 mm

22.0211.2


Divider Range SR

- Without break points
- Different lengths available from 185 mm in 25 mm increments
- Available with and without stoppers









Without stopper;

Height: 25 mm; Material: polycarbonate;


Colour: crystal clear; Version: clips on at back

22.0066.17 Length: 335 mm 22.0066.3 Length: 385 mm 22.0066.21

Length: 285 mm

Length: 435 mm **22.0066.11**





Shelf Divider

Without stopper;


Height: 60 mm; Material: polycarbonate;

Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0067.10 Length: 335 mm 22.0067.14 Length: 385 mm

22.0067.18 Length: 435 mm 22.0067.22





Shelf Divider

Without stopper;

Height: 120 mm; Material: polycarbonate;

Colour: crystal clear; Version: clips on at back

Length: 285 mm **22.0074.10**

Length: 335 mm **22.0074.14**

Length: 385 mm 22.0074.18

Length: 435 mm **22.0074.22**

Also available on request without clip-on foot at rear.

With left hand stopper;


Height: 60 mm; Orientation: left;

Height at front: 30 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0068.10

Length: 335 mm 22.0068.14 Length: 385 mm 22.0068.18

Length: 435 mm 22.0068.22





Shelf Divider

With central stopper;


Height: 60 mm; Orientation: central;

Height at front: 30 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0069.10

Length: 335 mm 22.0069.14 Length: 385 mm 22.0069.18

Length: 435 mm 22.0069.22





Shelf Divider

With right hand stopper;


Height: 60 mm; Orientation: right;

Height at front: 30 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0070.10

Length: 335 mm 22.0070.14 Length: 385 mm


22.0070.18 Length: 435 mm 22.0070.22





Other lengths available from 185 mm in 25 mm increments for 1000+ pieces.





With left hand stopper;

Height: 60 mm; Orientation: left; Height at front: 60 mm;


Material: polycarbonate; Colour: crystal clear; Version: clips on at back

22.0071.10 Length: 335 mm 22.0071.14 Length: 385 mm 22.0071.18

Length: 285 mm

Length: 435 mm **22.0071.22**





Shelf Divider

With central stopper;

Height: 60 mm; Orientation: central;


Height at front: 60 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

22.0072.10 Length: 335 mm 22.0072.14 Length: 385 mm 22.0072.18

Length: 285 mm

Length: 435 mm **22.0072.22**





Shelf Divider

With right hand stopper;

Height: 60 mm; Orientation: right;

Height at front: 60 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0073.10

Length: 335 mm **22.0073.14**

Length: 385 mm 22.0073.18 Length: 435 mm 22.0073.22

Also available on request without clip-on foot at rear.

With left hand stopper;


Height: 120 mm; Orientation: left;

Height at front: 80 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0075.10 Length: 335 mm

22.0075.14 Length: 385 mm 22.0075.18

Length: 435 mm 22.0075.22





Shelf Divider

With central stopper;


Height: 120 mm; Orientation: central;

Height at front: 80 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0076.10 Length: 335 mm 22.0076.14

Length: 385 mm 22.0076.18 Length: 435 mm

22.0076.22





Shelf Divider

With right hand stopper;


Height: 120 mm; Orientation: right;


Height at front: 80 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm 22.0077.10

Length: 335 mm 22.0077.14 Length: 385 mm


22.0077.18 Length: 435 mm 22.0077.22





Other lengths available from 185 mm in 25 mm increments for 1000+ pieces.





With left hand stopper;

Height: 120 mm; Orientation: left;

Height at front: 120 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back


Length: 285 mm **22.0078.10**

Length: 335 mm **22.0078.14**

Length: 385 mm **22.0078.18**

Length: 435 mm **22.0078.22**





Shelf Divider

With central stopper;

Height: 120 mm; Orientation: central;


Height at front: 120 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back


Length: 285 mm **22.0079.10**

Length: 335 mm **22.0079.14**

Length: 385 mm 22.0079.18 Length: 435 mm

22.0079.22





Shelf Divider

With right hand stopper;

Height: 120 mm; Orientation: right;

Height at front: 120 mm; Material: polycarbonate; Colour: crystal clear; Version: clips on at back

Length: 285 mm **22.0080.10**

Length: 335 mm **22.0080.14**

Length: 385 mm **22.0080.18**

Length: 435 mm **22.0080.22**

Also available on request without clip-on foot at rear.


Fixing Rails with Front Fixing without Pricing

- Adjustable via break points
- Quality tried and tested
- Good stock availability









With 10 break points for easy selection of desired length for different shelf depths: 460, 435, 410, 360, 330, 290, 240, 220, 190, or 150 mm,


Material: polycarbonate,

Colour: clear, Size: 510 x 25 mm (L x H);

Length: 510 mm

22.0016.1





Shelf Divider


With 6 break points for easy selection of desired length for different shelf depths: 380, 330, 290, 240, 190 or 140 mm, Material: polycarbonate,

Colour: clear, Size: 410 x 50 mm (L x H);

Length: 410 mm

22.0017.1





Shelf Divider


With 5 break points for easy selection of desired length for different shelf depths: 410, 370, 330, 290 or 250 mm, Material: polycarbonate,

Colour: clear, Size: 450 x 60 mm (L x H);

Length: 450 mm

22.0018.1





Shelf Divider

With 5 break points for easy selection of desired length for different shelf depths: 410, 370, 330, 290 or 250 mm, Material: polycarbonate,


Colour: clear, Size: 450 x 120 mm (L x H);

Length: 450 mm

22.0019.1

Divider Range MR


- Adjustable via break points
- Suitable for shelf depths up to 600 mm
- Available with and without stopper



7









Divider

Without stopper, for different shelf depths, with 16 break points, every 25 mm from 185 mm, Material: polycarbonate, Colour: clear, Size: 585 x 60 mm (L x H);

Length: 585 mm

22.0020.1






Shelf Divider

Left section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 60 mm (L x H), Height at front: 40 mm;

Length: 585 mm

22.0023.1





Shelf Divider

Middle section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 60 mm (L x H), Height at front: 40 mm;

Length: 585 mm


22.0023.2

Shelf Divider

Right section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 60 mm (L x H), Height at front: 40 mm;

Length: 585 mm

22.0023.3






Shelf Divider

Without stopper, for different shelf depths, with 16 break points, every 25 mm from 185 mm, Material: polycarbonate, Colour: clear, Size: 585 x 120 mm (L x H);


Length: 585 mm

22.0024.1









Shelf Divider

Left section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 120 mm (L x H), Height at front: 80 mm;

Length: 585 mm

22.0024.2






Shelf Divider

Centre section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 120 mm (L x H), Height at front: 80 mm;

Length: 585 mm

22.0024.3






Shelf Divider

Right section. With 16 break points, every 25 mm from 185 mm for different shelf depths. Material: polycarbonate, Colour: clear, Size: 585 x 120 mm (L x H), Height at front: 80 mm;

Length: 585 mm

22.0024.4

Stock Pushers









Stock Pusher Push VI "Narrow"

Spring tension remains constant, available for all shelf depths, without stopper; Size of pusher: 27 x 72 mm (W x H), Size of adapter: 28 x 10 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N





Stock Pusher Push VI "Narrow"

Spring tension remains constant, available for all shelf depths, with half height stopper; Size of pusher: 27 x 72 mm (W x H), Size of adapter: 28 x 24 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N 22.0256.





Stock Pusher Push VI "Narrow"

Spring tension remains constant, available for all shelf depths, with full height stopper; Size of pusher: 27 x 72 mm (W x H), Size of adapter: 28 x 36 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N 22.0257.

Stock Pusher Push VI "Wide"

Spring tension remains constant, available for all shelf depths, without stopper; Size of pusher: 40 x 72 mm (W x H), Size of adapter: 52 x 10 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N 22.0089.





Stock Pusher Push VI "Wide"

Spring tension remains constant, available for all shelf depths, with half height stopper; Size of pusher: $40 \times 72 \text{ mm}$ (W x H), Size of adapter: $52 \times 24 \text{ mm}$ (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N 22.0258.





Stock Pusher Push VI "Wide"

Spring tension remains constant, available for all shelf depths, with full height stopper; Size of pusher: 40 x 72 mm (W x H), Size of adapter: 52 x 36 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14N 22.0259.





Other formats can be found at www.vkf-renzel.com!





Stock Pusher "Push VII"

Spring tension remains constant, particularly suited to small and narrow products, available for all depths of shelf, without stopper, Size of pusher: 18 x 60 mm (W x H), Adapter width: 17 mm, Spring strenght: 2N, 4N, 6N, 10N or 14N

22.0236.





Stock Pusher "Push VII"

With progressive spring strength, particularly suited to small and narrow products, available for all shelf depths, with half-height stopper, Stopper size: 18 x 60 mm (W x H), Adapter size: 17 x 24 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14 N 22.0295.





Stock Pusher "Push VII"

With progressive spring strength, particularly suited to small and narrow products, available for all shelf depths, with half-height stopper, Stopper size: 18 x 60 mm (W x H), Adapter size: 17 x 36 mm (W x H), Spring strength: 2N, 4N, 6N, 10N or 14 N

22.0296.

Extension for Stock Pusher Push VI "Narrow"

Material: polystyrene; Material thickness: 1.5 mm; Colour: grey similar to RAL 7035; Width: 80 mm; Height: 130 mm; Version: 2 rounded corners

22.0121.1





Extension for Stock Pusher Push VI "Wide", adjusts in 2 places

Material: ABS; Material thickness: 2 mm; Colour: grey similar to RAL 7035; Width: 80 mm; Height: 130 mm

22.0121.4





Other formats can be found at www.vkf-renzel.com!





Adapter Clip for "Push VI"

To clip on the pusher, fits "PEK 45" + "PEK 25"

Material: ABS;

Colour: grey similar to RAL 7035

22.0177.1



Adapter Clip for Push VII

For clipping in stock pushers, for use with "PEK 45" and "PEK 25";

Width: 19.5 mm; Height: 9 mm;

Material: ABS;


Colour: grey similar to RAL 7035

22.0282.1

Accessories







Slip Brake

For Perfekta Divider Systems, with 7 break points; Colour: transparent; Width: 56 mm; Length: 517 mm

22.0036.1

Rear Support

For use with Perfekta Divider System, for customising to suit specific product quantities;

Colour: transparent; Width: 60 mm; Height: 120 mm; Depth: 60 mm 22.0037.1





Manual Pusher with Pull Strip

Colour: transparent; Material: ABS

Version: rear support; Height: 130 mm; Width: 65 mm

22.0147.2


Version: slip brake; Length: 515 mm; Break points: 7; Width: 55 mm

Version: pull strip; Length: 515 mm; Break points: 4

22.0147.4







Product Presenter "Perfekta Tray System"

Maximise your sales by guiding potential customers to select your brands over others. Ensure space for your own brand at the point of purchase.

Material: polystyrene. Colour: white or transparent (other colours available with price supplement). Available in various widths (42, 47, 52, 57, 63, 70, 75, 79, 88, 100 or 130 mm). Length: 400 mm, break points also allow shorter lengths of 350, 300, 250 and 200 mm **22.0052.**

Q



48 Shelf Divider for Tegometal Shelves



Front or Rear Strip

For Tegometal shelving;

Material: plastic; Colour: crystal clear; Version: standard

Length: 665 mm; Height: 45 mm

65.0011.1

Length: 665 mm; Height: 75 mm

65.0011.2

Length: 1000 mm; Height: 45 mm

65.0011.3

Length: 1000 mm; Height: 75 mm

65.0011.4

Length: 1250 mm; Height: 45 mm

65.0011.5

Length: 1250 mm; Height: 75 mm

65.0011.6

Length: 1330 mm; Height: 45 mm

65.0011.7

Length: 1330 mm; Height: 75 mm

65.0011.8

Binning Strip for Tegometal Shelves

Material: plastic; Colour: crystal clear; Features: without teeth;

Version: standard

Length: 200 mm; Height: 45 mm

65.0012.1

Length: 200 mm; Height: 75 mm

65.0012.2

Length: 250 mm; Height: 45 mm

65.0012.3

Length: 250 mm; Height: 75 mm

65.0012.4

Length: 300 mm; Height: 45 mm

65.0012.5

Length: 300 mm; Height: 75 mm

65.0012.6

Length: 370 mm; Height: 45 mm

65.0012.7

Length: 370 mm; Height: 75 mm

65.0012.8

Length: 470 mm; Height: 45 mm

65,0012,9

Length: 470 mm; Height: 75 mm

65.0012.10


Length: 570 mm; Height: 45 mm

65.0012.11

Length: 570 mm; Height: 75 mm

65.0012.12

Binning strips also available on request with dovetailing. Please ask for a quotation.



Divider for Tegometal Shelving

Material: polystyrene; Colour: crystal clear

Length: 200 mm; Height: 100 mm; Orientation: central

65.0013.1

Length: 200 mm; Height: 150 mm; Orientation: central

65.0013.4

Length: 300 mm; Height: 150 mm; Orientation: central

65.0013.10

Length: 200 mm; Height: 200 mm; Orientation: central

65.0013.13

Length: 200 mm; Height: 100 mm; Orientation: left

65.0013.2

Length: 200 mm; Height: 150 mm; Orientation: left

65.0013.5

Length: 300 mm; Height: 150 mm; Orientation: left

65.0013.11

Length: 200 mm; Height: 200 mm; Orientation: left

65.0013.14

Length: 200 mm; Height: 100 mm; Orientation: right

65.0013.3

Length: 200 mm; Height: 150 mm; Orientation: right

65.0013.6

Length: 300 mm; Height: 150 mm; Orientation: right

65.0013.12

Length: 200 mm; Height: 200 mm; Orientation: right

65.0013.15

1. Information:

Scanner profiles suitable for Tegometal shelving:

1) Scanner Profile "TE" Colour: white, available in 653 mm, 988 mm and 1238 mm lengths.

2) Scanner Profile "LS"

Colour: white, available in 653 mm, 988 mm and 1238 mm lengths, can be fixed in 2 positions.

We can manufacture bespoke size products in our in-house acrylic production facility.

- Your logo - Show the face of your company Dividers with embossing

The more frequently the consumer sees your logo, the more it makes an impression.

The recognition and reminder value is increased.

Distinguish yourself from your competitors and use dividers with your own company logo!



Custom-Made Trays

Our trays can be adapted to every size of product.

Using different print processes they can be customised to suit.

We look forward to receiving your enquiry.



Current prices can be found on our website.

The online shop for sales promotion



www.vkf-renzel.com

