




Shelf Optimisation



Display it well, watch it sell!



VKF Renzel

VKF Renzel GmbH • Im Geer 15 • 46419 Isselburg • Germany • Phone: +49 (0) 28 74 / 910-180
Fax: +49 (0) 28 74 / 910-111 • www.vkf-renzel.com • sales@vkf-renzel.com



Main Hub Germany



VKF Renzel GmbH
Im Geer 15
46419 Isselburg
Germany



+49 (0) 28 74 / 910-180



+49 (0) 28 74 / 910-111



sales@vkf-renzel.com



www.vkf-renzel.com


CONTENTS



1.

Shelf Divider Systems "Perfekta" and "Perfekta "MP"

3-32



2.

Shelf Divider System "ROS"

33-36



3.

Kwickload

37-46

Shop online - visit our online shop



- ✓ 24 hours a day, 7 days a week
- ✓ Over 19000 different items
- ✓ Despatch of stock items within 24 hours of order receipt
- ✓ Product ranges specific to industry areas



Shelf Divider Systems "Perfekta" and "Perfekta "MP"

Divider Rails	Shelf Divider Profiles with Price Display	
Shelf Divider Range "MP"	Shelf Divider Range "SR"	Shelf Divider Range "KD"
Stock Pushers	Stock Pusher System Tobacco	Twin Pusher

1



Eliminate chaos on the shelf ...

... and create order!

- ✓ optically uniform product arrangement
- ✓ structuring according to product groups - so that the customer can orientate themselves better
- ✓ adherence to the specified shelf space for individual products
- ✓ better overview - especially for products with a varied assortment depth (e.g. cosmetics and beauty)
- ✓ assignment of the right prices to the right product - no misalignment within the shelf levels
- ✓ easy combination with a scanner rail incl. shelf divider holder (PEK) at the shelf front
- ✓ easy combination with shelf stoppers for visualisation
- ✓ better order with e.g. conical packages




Shelf Divider System "Perfekta" and "Perfekta MP"

Divider Profiles

Attachment according to your requirements:



with adhesive tape



with magnetic tape



slot-in system for wire shelves

Divider Profile "PEK"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 13 mm

Colour: transparent; Adhesive: standard adhesive 12 mm

22.0012.33

Colour: transparent; Magnet: 10 mm magnetic tape

22.0012.141

Colour: white; Adhesive: standard adhesive 12 mm

22.0012.1

Colour: white; Magnet: 10 mm magnetic tape

22.0012.54



for front attachment

Divider Profile "PEK 30"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 36 mm

Colour: transparent; Adhesive: textile adhesive 19 mm

22.0013.8

Colour: transparent;

Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.24



Colour: white; Adhesive: textile adhesive 19 mm

22.0013.14

Colour: white;

Magnet: 20 mm magnetic tape, applied under T-profile

22.0013.88



Other formats can be found at www.vkf-renzel.com!



Divider Profile "PES"

- slot-in profile for metal channels
- with guide rail for shelf dividers


Colour: transparent; Length: 990 mm
22.0011.3



Divider Profile "PEK 30" with Cutouts

- anchor profile for dividing wire shelves
- with oval cut-outs and guide rail for dividers

Colour: transparent; Length: 1000 mm; Width: 30mm
22.0096.9



Divider Profile "PEK 25"

- anchor profile for shelf dividers, incl. holder for attaching the "MP" shelf divider range
- available with adhesive tape or magnetic tape


Length: 1000 mm; Width: 25 mm; Adhesive: standard tape 19 mm

Colour: grey

22.0144.35

Colour: transparent

22.0144.31




Divider Profile "PEK 45"

- anchor profile for shelf dividers, incl. holder for attaching the "MP" shelf divider range
- available with adhesive tape or magnetic tape

Colour: transparent; Length: 1000 mm; Width: 45 mm; Adhesive: textile adhesive 19 mm

22.0180.1



Current prices can be found on our website.

"Perfekta" Shelf Risers

Shelf Riser "Perfekta"

- for your product advertising on the shelf
- with guide rail for shelf dividers
- dimensions: 40 x 40 mm (W x H)
- available with adhesive tape or magnetic tape

Colour: transparent; Length: 1000 mm

Adhesive: textile adhesive 19 mm

22.0014.15

Magnet: magnetic tape 20mm

22.0014.30

We can print your logo on all promotional risers.
Please ask for further information.



Promotional Shelf Riser for Wire Shelves

- with oval cut-outs and guide rail for shelf dividers
- dimensions: 57 x 40 mm (W x H)

Colour: transparent; Length: 1000 mm

22.0015.2




Clips for Promotional Risers and Divider Rails with Cutouts

- for attaching the profiles to wire shelves


Material: polycarbonate; Colour: crystal clear; Wire thickness: 2.8-3.2 mm

22.0034.1



Other formats can be found at www.vkf-renzel.com!

1 Shelf Divider Profiles with Price Display



Shelf Edge Profile "HEP 30 / WLP"

- hinged
- for 30 mm high ticket
- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm; Adhesive: textile adhesive 19 mm

Colour: transparent

22.0262.16
Colour: white

22.0262.105



Shelf Edge Profile "DBR / MP 26"

- with adapter
- for 26 mm high tickets
- with adhesive tape and dust cover
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm;
Adhesive: standard tape 19 mm

20.0974.4



Shelf Edge Profile "DBR / MSP 26"

- hinged
- with adapter
- for 26 mm high tickets
- with adhesive tape and dust cover
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm;
Adhesive: standard tape 19 mm

20.1044.9



Shelf Edge Profile "HEP"

- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm; Adhesive: textile adhesive 16mm

Insert height: 26 mm; Colour: transparent

22.0004.49

Insert height: 39 mm; Colour: transparent

22.0006.41

Insert height: 39 mm; Colour: white

22.0006.178



Shelf Edge Profile "RUP"

- with guide rail for shelf dividers
- self-adhesive on all metal, wood and glass shelves

Length: 1000 mm

Insert height: 20 mm; Colour: transparent;
Adhesive: standard adhesive 12 mm

22.0010.7

Insert height: 20 mm; Colour: white;

Adhesive: standard adhesive 12 mm

22.0010.11

Insert height: 39 mm; Colour: white; Adhesive: standard tape 19 mm

22.0355.5



Shelf Edge Profile "WWT / MP 26"

- with adapter
- for 26 mm high tickets
- for Wanzl and Wire-Tec wire shelves with two horizontal wire lines
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm

20.0975.5




Other formats can be found at www.vkf-renzel.com!

**Shelf Edge Profile "WWT / MSP 26"**

- hinged
- with adapter
- for 26 mm high tickets
- for Wanzl and Wire-Tec wire shelves with two horizontal wire lines
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm
20.1042.16

**Shelf Edge Profile "GLS / MP 26"**

- with adapter
- for 26 mm high tickets
- suitable for glass and wooden shelves with a thickness of 5-10 mm
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm
20.0976.4

**Shelf Edge Profile "GLS / MSP 26"**

- hinged
- with adapter
- for 26 mm high tickets
- suitable for glass and wooden shelves with a thickness of 5-10 mm
- with guide rail for shelf dividers

Colour: transparent; Length: 1000 mm
20.1043.4

**Shelf Edge Profile "GLS 39 / WLP"**

- hinged
- for 39 mm high tickets
- with guide rail for shelf dividers
- for glass and wooden shelves with a thickness of 5-10 mm

Colour: transparent; Length: 1000 mm
22.0263.7

Current prices can be found on our website.

Shelf Edge Profile "AL / WLP"

- hinged
- with guide rail for shelf dividers
- for Linde, Storebest, Alpos and Tegometal shelves

Colour: white

Insert height: 30mm; Length: 985 mm

22.0265.3

Insert height: 39 mm; Length: 990 mm

22.0264.3

**Shelf Edge Profile "GLSP 26"**

- for 26 mm high tickets
- with guide rail for shelf dividers
- for glass and wooden shelves with a thickness of 5-10 mm


Length: 1000 mm

Colour: transparent

22.0009.12

Colour: white


22.0009.39

**Shelf Edge Profile "LSP"**

- with guide rail for shelf dividers
- for Linde, Storebest and Tegometal shelves

Insert height: 26 mm; Colour: white; Length: 1000 mm

22.0002.4



Other formats can be found at www.vkf-renzel.com!

1



Shelf Edge Profile "LS / MSP 39"
- with guide rail for shelf dividers
- for Linde, Storebest, Alpos and Tegometal shelves
Insert height: 39 mm; Colour: transparent; Length: 1000 mm
22.0300.8



Shelf Edge Profile "TE / MSP 26"
- with guide rail for shelf dividers
- for Linde, Storebest, Alpos and Tegometal shelves
Insert height: 26 mm; Colour: transparent; Length: 1000 mm
20.1955.31

Our diversity is your advantage!


- ✓ over 300 different profile types available
- ✓ various fastening options
- ✓ cut to size - no wastage
- ✓ processing of different base materials such as PVC, PET, PC, TPE, PLA and recycled materials



Current prices can be found on our website.

Shelf Divider System "MP"

... give your products a fixed location!



Shelf Divider


- without product stopper
 - with rear foot for mounting in place
- Material: PET; Colour: transparent; Height: 60 mm

Length: 335 mm
22.0152.7
Length: 385 mm
22.0152.9
Length: 400 mm
22.0152.10
Length: 435 mm
22.0152.12
Length: 485 mm
22.0152.14
Length: 500 mm
22.0152.15
Length: 585 mm
22.0152.19

Shelf Divider


- without product stopper
 - with rear foot for mounting in place
- Material: PET; Colour: transparent; Height: 120 mm

Length: 385 mm
22.0159.9
Length: 400 mm
22.0159.10
Length: 435 mm
22.0159.12
Length: 485 mm
22.0159.14
Length: 500 mm
22.0159.15




Other formats can be found at www.vkf-renzel.com!


Shelf Divider Range "MP" without Break Points




Shelf Divider
- with product stopper "Left"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 60 mm
Length: 400 mm
22.0156.1
Length: 435 mm
22.0156.2



Shelf Divider
- with product stopper "Centre"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 60 mm
Length: 400 mm
22.0157.1
Length: 435 mm
22.0157.2




Shelf Divider
- with product stopper "Right"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 60 mm
Length: 400 mm
22.0158.1
Length: 435 mm
22.0158.2




Shelf Divider
- with product stopper "Left"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 120 mm
Length: 400 mm
22.0163.10
Length: 500 mm
22.0163.15

Current prices can be found on our website.

Shelf Divider
- with product stopper "Centre"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 120 mm
Length: 400 mm
22.0164.10
Length: 500 mm
22.0164.15



Shelf Divider
- with product stopper "Right"
- with rear foot for mounting in place
Material: PET; Colour: transparent; Height: 120 mm
Length: 400 mm
22.0165.10
Length: 500 mm
22.0165.15



Shelf Divider
- without product stopper
- with rounded front
- with rear foot for mounting in place
Material: polycarbonate; Colour: transparent; Height: 200 mm
Length: 335 mm
22.0166.7
Length: 400 mm
22.0166.10
Length: 585 mm
22.0166.19
Length: 635 mm
22.0166.21



Shelf Divider
- without product stopper
- with high front
- with rear foot for mounting in place
Material: polycarbonate; Colour: transparent; Height: 200 mm
Length: 335 mm
22.0168.7
Length: 400 mm
22.0168.10
Length: 585 mm
22.0168.19
Length: 635 mm
22.0168.21



Other formats can be found at www.vkf-renzel.com!



The length of the divider can be adjusted to suit thanks to break points!

Convince yourself of the simple assembly in the video at: vkf.re/ftp-ex



Shelf Divider Range "MP" with Break Points

Shelf Divider

- can be used for different shelf depths
 - with 8 predetermined break points
- Material: PET; Colour: transparent; Height: 60 mm;
Height at front: 30mm

Divider without Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm
22.0195.1
Length: 585 mm; Version: break point every 25 mm from 385 mm
22.0195.2

Shelf Divider with Left-Hand Stopper


- Length: 485 mm; Version: break point every 25 mm from 285 mm
22.0199.1
Length: 585 mm; Version: break point every 25 mm from 385 mm
22.0199.2

Shelf Divider with Center Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm
22.0200.1
Length: 585 mm; Version: break point every 25 mm from 385 mm
22.0200.2

Shelf Divider with Right Stopper

- Length: 485 mm; Version: break point every 25 mm from 285 mm
22.0201.1
Length: 585 mm; Version: break point every 25 mm from 385 mm
22.0201.2





22.0196.



22.0197.



22.0198.

Shelf Divider

- with product stopper
- can be used for different shelf depths
- with 8 predetermined break points

Material: PET; Colour: transparent; Height: 60 mm

Shelf Divider with Left-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0196.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0196.2

Shelf Divider with Centre Stopper

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0197.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0197.2

Shelf Divider with Right-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 285 mm

22.0198.1

Length: 585 mm; Version: break point every 25 mm from 385 mm

22.0198.2



22.0209.



22.0210.



22.0211.

Shelf Divider

- with product stopper
- can be used for different shelf depths
- with 7 predetermined break points

Material: PET; Colour: transparent; Height: 120 mm

Shelf Divider with Left-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0209.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0209.2

Shelf Divider with Centre Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0210.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0210.2

Shelf Divider with Right-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0211.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0211.2

Current prices can be found on our website.



22.0205.



22.0206.



22.0207.



22.0208.

Shelf Divider

- can be used for different shelf depths
- with 8 predetermined break points

Material: PET; Colour: transparent; Height: 120 mm; Height at front: 80 mm

Divider without Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0205.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0205.2

Shelf Divider with Left-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0206.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0206.2

Shelf Divider with Centre Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm

22.0207.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0207.2

Shelf Divider with Right-Hand Stopper

Length: 485 mm; Version: break point every 25 mm from 310 mm


22.0208.1

Length: 560 mm; Version: break point every 25 mm from 385 mm

22.0208.2



Shelf Divider System "SR"



- ✓ available with and without product stopper
- ✓ different lengths available from 185 mm in 25 mm increments



Shelf Divider	
- without product stopper	
Material: polycarbonate; Colour: crystal clear; Height: 25 mm; Version: clips on at back	
Length: 285 mm	
22.0066.17	
Length: 335 mm	
22.0066.3	
Length: 385 mm	
22.0066.21	
Length: 435 mm	
22.0066.11	

All Shelf Divider Systems "SR" are available on request without the rear clip!

Current prices can be found on our website.




Shelf Divider	
Material: polycarbonate; Colour: crystal clear; Height: 60 mm; Height at front: 30mm; Version: clips on at back	
Divider without Stopper	
Length: 285 mm	
22.0067.10	
Length: 335 mm	
22.0067.14	
Length: 385 mm	
22.0067.18	
Length: 435 mm	
22.0067.22	

Shelf Divider with Left-Hand Stopper	
Length: 285 mm	
22.0068.10	
Length: 335 mm	
22.0068.14	
Length: 385 mm	
22.0068.18	
Length: 435 mm	
22.0068.22	

Shelf Divider with Centre Stopper	
Length: 285 mm	
22.0069.10	
Length: 335 mm	
22.0069.14	
Length: 385 mm	
22.0069.18	
Length: 435 mm	
22.0069.22	

Shelf Divider with Right-Hand Stopper	
Length: 285 mm	
22.0070.10	
Length: 335 mm	
22.0070.14	
Length: 385 mm	
22.0070.18	
Length: 435 mm	
22.0070.22	



Othe lengths available on request from 185 mm in 25 mm increments.

Other formats can be found at www.vkf-renzel.com!

Shelf Divider System "Perfekta" and "Perfekta MP"

1

Other lengths available on request from 185 mm in 25 mm increments.



22.0074.

Shelf Divider

Material: polycarbonate; Colour: crystal clear; Height: 120 mm; Height at front: 80 mm; Version: clips on at back

Divider without Stopper

Length: 285 mm

22.0074.10

Length: 335 mm

22.0074.14

Length: 385 mm

22.0074.18

Length: 435 mm

22.0074.22

Shelf Divider with Left-Hand Stopper

Length: 285 mm

22.0075.10

Length: 335 mm

22.0075.14

Length: 385 mm

22.0075.18

Length: 435 mm

22.0075.22

Shelf Divider with Centre Stopper

Length: 285 mm

22.0076.10

Length: 335 mm

22.0076.14

Length: 385 mm

22.0076.18

Length: 435 mm

22.0076.22

Shelf Divider with Right-Hand Stopper

Length: 285 mm

22.0077.10

Length: 335 mm

22.0077.14

Length: 385 mm

22.0077.18

Length: 435 mm

22.0077.22

22.0077.



Shelf Divider System "KD"



poly-carbonate

shelf divider with break points

- ✓ flexible due to predetermined break points
- ✓ quality and application proven over many years
- ✓ high stock availability

Shelf Divider

- can be used for different shelf depths
- Material: polycarbonate
- Colour: clear

10 break points

can be shortened to lengths of 460, 435, 410, 360, 330, 290, 240, 220, 190, or 150 mm; size: 510 x 25 mm (L x H)

22.0016.1

6 break points

can be shortened to lengths of 380, 330, 290, 240, 190 or 140 mm; size: 410 x 50 mm (L x H)

22.0017.1


5 break points

can be shortened to lengths of 410, 370, 330, 290 or 250 mm; size: 450 x 60 mm (L x H)

22.0018.1

can be shortened to lengths of 410, 370, 330, 290 or 250 mm; size: 450 x 120 mm (L x H)


22.0019.1




22.0016.



22.0017.



22.0018.




22.0019.

Other formats can be found at www.vkf-renzel.com!

Bespoke dividers on customer request

... from the idea to the implementation!

- ✓ individual design
- ✓ different materials
- ✓ in-house production incl. toolmaking
- ✓ short reaction times
- ✓ prototyping
- ✓ extensive experience thanks to long-standing employees
- ✓ sustainable production processes





Please ask us!

Current prices can be found on our website.

Stock pushers

... first class check-in for your products!



- ✓ 100% visibility of goods
- ✓ easy removal and filling of goods
- ✓ simple assembly
- ✓ individual adjustment of the pusher strength to the corresponding articles
- ✓ individual adjustment of the pusher lengths to your shelves
- ✓ different combination possibilities

Convince yourself of the application of our product pushers in the video: vkf.re/wsp-ex



Other formats can be found at www.vkf-renzel.com!

Stock Pushers



22.0086.

Stock Pusher Push VI "Narrow"

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 27 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper


Adapter size: 28 x 10 mm (W x H)
22.0086.

With Half-Height Product Stopper

Adapter size: 27 x 24 mm (W x H)
22.0256.

With Tall Product Stopper

Adapter size: 28 x 36 mm (W x H)
22.0257.



22.0256.



22.0257.



22.0089.

Stock Pusher Push VI "Wide"

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 40 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper


Adapter size: 52 x 10 mm (W x H)
22.0089.

With Half-Height Product Stopper

Adapter size: 52 x 24 mm (W x H)
22.0258.

With Tall Product Stopper

Adapter size: 52 x 36 mm (W x H)
22.0259.



22.0258.



22.0259.

Current prices can be found on our website.

Stock Pusher "Push VII"

- with progressive spring strength
- especially suitable for small and narrow products
- available for all shelf depths
- product pusher format: 18 x 60 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Without Product Stopper

Adapter size: 17 x 0.7 mm (W x H)
22.0236.

With Half-Height Product Stopper


Adapter size: 17 x 24 mm (W x H)
22.0295.

With Tall Product Stopper

Adapter size: 17 x 36 mm (W x H)
22.0296.



22.0236.



22.0295.



22.0296.

Stock Pusher Push VI "Wide" with 70 ° Stopper

- with progressive spring strength
- available for all shelf depths
- with extra tall product stopper
- slanted (angle 70°)
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 60 x 71 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

22.0176.



70°

Stock Pusher "Push VI" Wide with 90° Stopper

- with progressive spring strength
- available for all shelf depths
- with extra tall product stopper
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 60 x 75 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N


22.0175.



90°

Other formats can be found at www.vkf-renzel.com!


1



Slip Brake

- for "Perfekta" shelf divider system
- with 7 predetermined break points


Colour: transparent; Width: 57 mm; Length: 517 mm
22.0036.9



Rear Support

- for "Perfekta" shelf divider system
- for individual adjustment of the quantity of goods

Colour: transparent; Width: 60 mm; Height: 135 mm; Depth: 57 mm
22.0037.8



Manual Pusher with Pull Strip

Material: ABS; Colour: transparent

Rear Support

Height: 130 mm; Width: 65 mm
22.0147.2

Slip Brake

Length: 515 mm; Break points: 7; Width: 55 mm
22.0147.3

Pull Strip

Length: 515 mm; Break points: 4
22.0147.4

Discover the practical function
in a video at: vkf.re/rsp-ex



Current prices can be found on our website.

1


Extension for Stock Pusher Push VI "Narrow"

Material: polystyrene; Material thickness: 1.5 mm;
Colour: grey similar to RAL 7035; Width: 80 mm;
Height: 130 mm; Version: 2 rounded corners
22.0121.1



Extension for Stock Pusher Push VI "Wide", adjusts to 2 positions

Material: ABS; Material thickness: 2 mm;
Colour: grey similar to RAL 7035; Width: 80 mm; Height: 130 mm
22.0121.4



Adapter Clip for "Push VI + VII"

- for rear mounting of the pusher
- suitable for PEK 45 + PEK 25

Height: 9 mm; Material: ABS; Colour: grey similar to RAL 7035

Width: 32 mm; Version: for Push VI

22.0177.1

Width: 19.5 mm; Version: for Push VII

22.0282.1



Other formats can be found at www.vkf-renzel.com!

Stock Pusher System Tobacco



Divider Profile "PEK"

- anchor profile with guide rail for shelf dividers
- available with adhesive tape or magnetic tape

Length: 1000 mm; Width: 13 mm

Colour: transparent; Adhesive: standard adhesive 12 mm

22.0012.33

Colour: white; Adhesive: standard adhesive 12 mm


22.0012.1

Colour: transparent; Magnet: 10 mm magnetic tape

22.0012.141

Colour: white; Magnet: 10 mm magnetic tape

22.0012.54



Shelf Divider with Centre Stopper

Material: PET; Colour: transparent; Length: 485 mm;
Height: 60 mm; Height at front: 24 mm;
Version: break point every 25 mm from 285 mm

22.0200.5

hintere Befestigung mit
„PEK 25“ und „PEK 45“ (S.6)



Stock Pusher Push VI "Wide" Tobacco

- with progressive spring strength
- available for all shelves
- with product stopper
- dimensions of pusher: 40 x 72 mm (W x H)
- dimensions of adapter: 39 x 36 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

22.0369.

Current prices can be found on our website.

Twin Pusher



- ✓ for smooth and round products (e.g. beverage cans, spice jars, shampoo bottles, creams and deodorants)
- ✓ products remain in the channel
- ✓ shelf divider and pusher are firmly connected

- ✓ orderly presentation of goods
- ✓ evenly divided sales shelf
- ✓ determine the compartment size yourself

Fixing Rail for Twin Pusher System

- for mounting on an existing PEK rail
- alternatively available with adhesive tape or magnetic tape

Colour: grey similar to RAL 7035; Length: 1000 mm; Width: 40 mm

Adhesive: without

22.0342.14

Adhesive: standard tape 19 mm

22.0342.15



Extension for Twin Pusher, adjusts to 2 positions

- horizontal or vertical

Material: ABS; Material thickness: 2 mm;

Colour: grey similar to RAL 7035; Width: 75 mm;

Height: 45 mm; Version: 4 rounded corners

22.0121.11



Other formats can be found at www.vkf-renzel.com!



Version centre

Twin Pusher

- with progressive spring strength
- available for all shelf depths
- dimensions of pusher: 27 x 72 mm (W x H)
- spring strength: 2 N, 4 N, 6 N, 10 N or 14 N

Version: left

Adapter size: 27 x 24 mm (W x H)

22.0363.

Adapter size: 27 x 36 mm (W x H)

22.0349.

Version: centre

Adapter size: 27 x 24 mm (W x H)

22.0362.

Adapter size: 27 x 36 mm (W x H)

22.0348.

Version: right

Adapter size: 27 x 24 mm (W x H)


22.0364.

Adapter size: 27 x 36 mm (W x H)


22.0350.



Version left



Version centre



Version right

Current prices can be found on our website.

Shelf Divider System "ROS"

| Shelf Dividers | Fixing Rails | Accessories |

2




Shelf Divider System "ROS"




shelf divider without predetermined break point


- ✓ clear structure on the shelf
- ✓ optimal air circulation in the cooling system due to openings in the shelf divider
- ✓ flexible due to predetermined break points



22.0324.



22.0322.



22.0325.

Shelf Divider

- can be used for different shelf depths
- with 4 predetermined break points
- can be shortened by the user to lengths of 390, 330, 270 or 240 mm
- Material: polystyrene
- Colour: clear

Size: 450 x 25 mm (L x H)

22.0324.1

Size: 450 x 60 mm (L x H)

22.0322.3

Size: 450 x 140 mm (L x H)

22.0325.3

Current prices can be found on our website.

Shelf Divider System "ROS"

2

Fixing Rail

- front for shelf divider system "ROS"
- available with adhesive tape or magnetic tape

Material: PVC; Colour: white; Length: 1000 mm; Width: 20 mm; Adhesive: foam adhesive 19mm
22.0321.9





for front attachment

Shelf Edge Profile "ROS 39"

- front for shelf divider system "ROS"
- available with adhesive tape or magnetic tape

Insert height: 39 mm; Colour: white; Length: 1000 mm; Adhesive: standard tape 19 mm
22.0340.9



Stopper Rail

- for rear attachment of shelf divider system "ROS"

Material: polyamide; Colour: grey similar to RAL 7016; Width: 20 mm; Adhesive: 15 mm gel adhesive

Length: 250 mm

22.0320.3

Length: 500 mm

22.0320.4



for rear attachment

Other formats can be found at www.vkf-renzel.com!


Shelf Divider System "ROS"

2



Slip Brake "ROS"

- with 7 break points
Colour: transparent; Width: 57 mm; Length: 512 mm
22.0036.10



Rear Support

- for individual adjustment of the quantity of goods
Colour: transparent; Width: 60 mm; Height: 135 mm; Depth: 57 mm
22.0037.8



Kwickload

- | Kwickload for Hanging |
- | Kwickload for Shelves |


3



Kwickload - push your products ...

... even without a shelf!

- ✓ organised product presentation
- ✓ ideal for a wide range of packaging sizes
- ✓ highly durable, made of ABS plastic
- ✓ saves time and costs
- ✓ easy assembly
- ✓ automatic product replenishment guaranteed
- ✓ pull-out mechanism with locking paddle enables easy filling with goods
- ✓ dividing elements adapt to the width of the respective products
- ✓ suitable for refrigeration and deep freeze



Discover the new Kwickload system at:
vkf.re/klp-ex



Current prices can be found on our website.

How it works:

1 select attachment option




bracket mount




shelf mount

2 select dividers



partitions



wire dividers

3 select fronts




from small to large, always suitable for your products


Other formats can be found at www.vkf-renzel.com!



Kwickload for Hanging




Kwickload for Hanging
Adapter: wide; Adapter size: 98.4 x 139.7 mm (W x H);
Numbers of pusher: 2 pusher; Version: telescopic
Material of divider: plastic; Length: 406mm; Spring strength: 6N
22.0380.2
Material of divider: plastic; Length: 457mm; Spring strength: 8 N
22.0380.4
Material of divider: wire; Length: 406mm; Spring strength: 8 N
22.0380.7
Material of divider: wire; Length: 457mm; Spring strength: 8 N
22.0380.9




Kwickload for Hanging
Adapter: wide with insert; Adapter size: 101.6 x 120.7 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0381.1
Material of divider: plastic; Length: 457mm
22.0381.2
Material of divider: wire; Length: 406mm
22.0381.4
Material of divider: wire; Length: 457mm
22.0381.5

Current prices can be found on our website.


Kwickload for Hanging
Adapter: wide high; Adapter size: 10.16 x 16.51 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0383.1
Material of divider: plastic; Length: 457mm
22.0383.2
Material of divider: wire; Length: 406mm
22.0383.4
Material of divider: wire; Length: 457mm
22.0383.5



Kwickload for Hanging
Adapter: narrow with insert; Adapter size: 8.26 x 7.62 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0384.1
Material of divider: plastic; Length: 457mm
22.0384.2
Material of divider: wire; Length: 406mm
22.0384.4
Material of divider: wire; Length: 457mm
22.0384.5




Kwickload for Hanging
Adapter: bottle double; Adapter size: 6.35 x 12.38 mm (W x H);
Numbers of pusher: 2 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0385.1
Material of divider: plastic; Length: 457mm
22.0385.2
Material of divider: wire; Length: 406mm
22.0385.4
Material of divider: wire; Length: 457mm
22.0385.5



Other formats can be found at www.vkf-renzel.com!

3



Kwickload for Hanging
Adapter: bottle single; Adapter size: 9.84 x 6.03 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0386.1
Material of divider: plastic; Length: 457mm
22.0386.2
Material of divider: wire; Length: 406mm
22.0386.4
Material of divider: wire; Length: 457mm
22.0386.5




Kwickload for Hanging
Adapter: narrow high; Adapter size: 17.15 x 7.62 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N;
Version: telescopic
Material of divider: plastic; Length: 406mm
22.0387.1
Material of divider: plastic; Length: 457mm
22.0387.2
Material of divider: wire; Length: 406mm
22.0387.4
Material of divider: wire; Length: 457mm
22.0387.5



Kwickload for Shelves


Kwickload for Shelves

Adapter: wide; Adapter size: 98.4 x 139.7 mm (W x H);
Numbers of pusher: 2 pusher; Spring strength: 8 N; Version: fixed
Material of divider: plastic; Length: 406mm
22.0389.1
Material of divider: plastic; Length: 457mm
22.0389.4
Material of divider: wire; Length: 406mm
22.0389.8
Material of divider: wire; Length: 457mm
22.0389.10



Kwickload for Shelves

Adapter: wide with insert; Adapter size: 101.6 x 120.7 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed
Material of divider: plastic; Length: 406mm
22.0390.1
Material of divider: plastic; Length: 457mm
22.0390.2
Material of divider: wire; Length: 406mm
22.0390.4
Material of divider: wire; Length: 457mm
22.0390.5



Other formats can be found at www.vkf-renzel.com!

3



Kwickload for Shelves

Adapter: wide high; Adapter size: 10.16 x 16.51 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm
22.0392.1

Material of divider: plastic; Length: 457mm
22.0392.2

Material of divider: wire; Length: 406mm
22.0392.4

Material of divider: wire; Length: 457mm
22.0392.5

Kwickload for Shelves

Adapter: narrow with insert; Adapter size: 8.26 x 7.62 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm
22.0393.1

Material of divider: plastic; Length: 457mm
22.0393.2

Material of divider: wire; Length: 406mm
22.0393.4

Material of divider: wire; Length: 457mm
22.0393.5

Kwickload for Shelves

Adapter: bottle double; Adapter size: 6.35 x 12.38 mm (W x H);
Numbers of pusher: 2 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm
22.0394.1

Material of divider: plastic; Length: 457mm
22.0394.2

Material of divider: wire; Length: 406mm
22.0394.4

Material of divider: wire; Length: 457mm
22.0394.5

Current prices can be found on our website.

Kwickload for Shelves

Adapter: bottle single; Adapter size: 9.84 x 6.03 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm
22.0395.1

Material of divider: plastic; Length: 457mm
22.0395.2

Material of divider: wire; Length: 406mm
22.0395.4

Material of divider: wire; Length: 457mm
22.0395.5

Kwickload for Shelves

Adapter: narrow half-high; Adapter size: 8.89 x 7.62 mm (W x H);
Numbers of pusher: 1 pusher; Spring strength: 8 N; Version: fixed

Material of divider: plastic; Length: 406mm
22.0397.1

Material of divider: plastic; Length: 457mm
22.0397.2

Material of divider: wire; Length: 406mm
22.0397.4

Material of divider: wire; Length: 457mm
22.0397.5

Fixing for Kwickload

- support bar for the Kwickload system
- for attachment to Tego shelves

Colour: black, powder coated; Material: metal; Version: for hanging



Length: 1000 mm
22.0373.5


Length: 1250 mm
22.0373.6

Length: 1330 mm
22.0373.7

Other formats can be found at www.vkf-renzel.com!


3





Accessories for Kwickload
- pusher width extension for the Kwickload system
Width: 130 mm; Height: 104 mm; Colour: black
22.0372.12

1. Example of use.



Visit our online shop!



Direct ordering
Enter the item code
and order.



LIVE Support
Got a question?
We're here to help!



Innovation
Discover our
new products.



Country specific shops
We're here for you
worldwide!



Trade specific products
Use our suggestions for
your field of business



